

 **MERIDIAN**
RELEASE NOTES
2021 R3

Accruent Confidential and Proprietary, copyright 2022. All rights reserved.

This material contains confidential information that is proprietary to, and the property of, Accruent, LLC. Any unauthorized use, duplication, or disclosure of this material, in whole or in part, is prohibited.

No part of this publication may be reproduced, recorded, or stored in a retrieval system or transmitted in any form or by any means—whether electronic, mechanical, photographic, or otherwise—without the written permission of Accruent, LLC.

The information contained in this document is subject to change without notice. Accruent makes no warranty of any kind with regard to this material, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. Accruent, or any of its subsidiaries, shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this material.

Contents

2021 R3 Release Notes	5
Administration Improvements	5
Application Link Improvements	6
Client Improvements	7
Configuration Improvements	9
Customization Improvements	9
Viewer Improvements	10
Explorer Improvements	10
Publisher Improvements	11
Known Issues	11
2021 R2 Release Notes	12
Administration Improvements	12
Application Link Improvements	15
Client Improvements	15
Configuration Improvements	18
Customization Improvements	19
Viewer Improvements	19
Explorer Improvements	20
Publisher Improvements	20
Known Issues	20
2021 Release Notes	23
Administration Improvements	23
Application Link Improvements	24
Client Improvements	26
Configuration Improvements	30
Customization Improvements	32
Viewer Improvements	34
Explorer Improvements	35
Publisher Improvements	37
2020 R2 Release Notes	38
Administration Improvements	38
Application Link Improvements	40
Client Improvements	42
Configuration Improvements	46
Customization Improvements	48
Viewer Improvements	49
Explorer Improvements	50

Publisher Improvements	51
2020 Release Notes	53
Administration Improvements	53
Application Link Improvements	57
Client Improvements	58
Configuration Improvements	62
Customization Improvements	63
Viewer Improvements	64
Explorer Improvements	65
Publisher Improvements	66
2019 R2 Release Notes	68
Administration Improvements	68
Application Link Improvements	69
Client Improvements	70
Customization Improvements	72
Viewer Improvements	72
Meridian Explorer Improvements	73
Publisher Improvements	73
2019 Release Notes	74
Administration Improvements	74
Application Link Improvements	78
Client Improvements	81
Configuration Improvements	89
Customization Improvements	90
Viewer Improvements	91
Explorer Improvements	92
Publisher Improvements	93

2021 R3 Release Notes

Meridian Enterprise 2021 R3 was released in November 2021. Major improvements in this release include:

- [We've eliminated the need for local admin and SQL admin rights for Meridian service accounts](#)
- [We've added subscription/user pass licensing for on-premises](#)
- [We've added the ability to create confirmation pages for release as master events](#)
- [We've added e-Signature via Site Cache Client](#)

Additional minor enhancements, third-party application support, and bug fixes are also included. The following sections describe the specific changes and improvements in this release.

Administration Improvements

We've made these improvements to Meridian Enterprise administration:

Administration improvements

Reference	Description
MPS-35464	You now have the option to use an On-Premises License Server or a Cloud Server for Subscription Licenses.
MPS-38787 MPS-35612	The permissions required in SQL Server for a Meridian Server have changed. Refer to our documentation for the current requirements.
MPS-36263	A new Match in setting has been added for import profiles that are not used for Meridian Portal. This setting tells Meridian to check whether the document number for a document is unique within the target project or within the entire vault.
MPS-36853	A new Release new documents by default setting has been added for import profiles. This setting specifies that if the workflow status is not set for a document in the metadata worksheet, then Meridian will: <ul style="list-style-type: none"> • (disabled) Leave document in its current workflow state For example, if the document was Under Change, it stays in the Under Change state. • (enabled) Release the document from the workflow entirely The document is no longer in a workflow, and becomes a new version.

Reference	Description
MPS-39809	<p>You can now enable access to the SiteCache options in Cloud Connector after setup. There are two ways to do this:</p> <ul style="list-style-type: none"> Use the command line to install the Cloud Connector with a new parameter. For example: <pre>msiexec.exe /i %PACKAGE% /qf /PROMPTRESTART /log %MYLOG% REINSTALL=ALL REMOTEONLY=0</pre> Install the Cloud Connector in GUI-mode using the parameter REMOTEONLY=0 in the Meridian Cloud Connector.ini file.
MPS-38854	<p>We've resolved a synchronization issue with ActiveDirectory where if the list of user email addresses had too many email addresses, the synchronization failed. The system now truncates the list so that the synchronization will succeed, and then starts a new synchronization job.</p>
MPS-38628	<p>Previously, when you attempted to create a folder using an import package, the order of events was different than what it was in the user interface. Now, the order of events when a folder is being created via import is the same as when you create a folder manually in PowerWeb.</p>
MPS-37783	<p>To improve your system security, we recommend that you update your web.config file in the following ways:</p> <ul style="list-style-type: none"> <code><httpRuntime enableVersionHeader="false"></code> should be set to remove the X-AspNet Version header — works for all IIS versions <code><security><requestFiltering removeServerHeader="true"/></code> should be set to remove the Server header — works only for IIS10 only

For more information, see the *Meridian Enterprise Administrator's Guide*.

Application Link Improvements

We've made these improvements to application links:

Application link improvements

Reference	Description
MPS-24686	<p>The layout of the Edit Properties dialog in remote mode when using SAML has been fixed.</p>

Reference	Description
MPS-39552	If a user attempts to open a document where the version in the vault is newer than the version in their local workspace, the Application Integration now warns the user that the document may contain updates from other users, and that any local changes may be lost after synchronization. The user can then abort the operation. This behavior only occurs if Site Cache mode is enabled.
MPS-39030	We no longer support the 2017-2018 versions of the AutoCAD family.
MPS-34747	We fixed an issue that caused users to be unable to create content center parts in Inventor if the vault setting for the workflow state of imported documents was set to Unchanged.

For more information, see the *Meridian Enterprise Configuration Guide* and the *Meridian Enterprise User's Guide*.

Client Improvements

We've made these improvements to Meridian clients. Improvements apply to the PowerWeb client application unless otherwise stated.

Client improvements

Reference	Description
MPS-34307	If a user attempts to open a document where the version in the vault is newer than the version in their local workspace, PowerWeb now warns the user that the document may contain updates from other users, and that any local changes may be lost after synchronization. The user can then abort the operation. If the user chooses to abort the operation, nothing is changed in the local workspace or the vault. This behavior only occurs if Site Cache mode is enabled.
MPS-35657	If a user attempts to synchronize their local workspace when a document has a version in the vault newer than the version in their local workspace, the local workspace client now warns the user that the document may contain updates from other users, and that any local changes may be lost after synchronization. The user can then abort the operation. This behavior only occurs if Site Cache mode is enabled.
MPS-24058	The SkipSyncForOpen setting now functions as expected when Site Cache mode is enabled and a CAD link is working in remote mode.
MPS-34829	The Audit Log export file is now filtered to only contain data for the current vault.
MPS-38164	The Transfer to Project command is available for document types where the Merge Workflow option is selected.

Reference	Description
MPS-38457	<p>When Site Cache mode is enabled and the Site Cache Client is configured to trigger authentication, Windows authentication is now triggered.</p> <p>Learn more about this enhancement in our <i>Configuration Improvements</i> section below.</p>
MPS-33812	<p>The Aspose rendering engine in PowerWeb no longer distorts images when the orientation and aspect ratio do not match between the image and the page size. Images are also now centered on the page.</p> <p>Additionally, you can now configure the default page size and orientation for Aspose renderings of images.</p>
MPS-36989	<p>You can now import packages directly to Retired status.</p>
MPS-38022	<p>You can now upload files larger than 100 MB to the Local Workspace with the same upload speed as smaller files.</p>
MPS-39309	<p>Renditions now generate as expected for documents whose names contain an "&" character.</p>
MPS-39084	<p>Users can no longer continue working if they fail e-signature authentication. They are now logged out automatically.</p>
MPS-39058	<p>An error message now displays if XOD files are not generated.</p>
MPS-28473	<p>The Unlock Documents commands are no longer disabled if the Unlock from Briefcase setting is disabled for the scope.</p>
MPS-32255	<p>Import package information now appears as expected on the Import Package tab when importing a package from Portal to PowerWeb.</p>
MPS-35241	<p>We've improved performance for customers who have multiple commands assigned to a document type.</p>
MPS-38062	<p>We've resolved an issue which caused references for the current revision to display when viewing a previous revision in remote mode or when downloading in online mode.</p>

For more information, see the *Meridian Enterprise User's Guide*.

Configuration Improvements

We've made these improvements to Meridian Enterprise configuration.

Configuration improvements

Reference	Description
MPS-38517 MPS-38457 MPS-38458	You can now configure your vault settings so that the user must authenticate via Windows before their electronic signature will be applied. If the user has disabled site cache mode, they will be unable to complete the workflow transition.
MPS-38302	The Apply to entire batch setting allows the settings from the first instance of the wizard page to be applied to each document that is selected in the batch. This functionality is almost always desired by our customers, so the setting is now enabled by default.
MPS-38053	There is now a new Merge Workflow without Transfer option available in the concurrent engineering properties of document types. When this option is selected for a document type, the Transfer to Project option in PowerWeb is disabled.
MPS-34933	You can now import MET files to create or update Quick Change configurable workflow definitions.
MPS-35193	Column collections can be successfully exported and then re-imported.

For more information about these improvements, see the *Meridian Enterprise Configuration Guide*.

Customization Improvements

We've made these improvements to Meridian Enterprise VBScript customization:

Customization improvements

Reference	Description
MPS-38069 MPS-38074 MPS-38081 MPS-38077	<p>You can now add confirmation pages at several points in the release as master event sequence. These new events are:</p> <ul style="list-style-type: none"> • PreInitializeReleaseToMaster • PreBeforeReleaseToMaster <p>These events can be used in wizards relating to releasing a document as master.</p>
MPS-37725	You can now create a static collection using the StaticCollection property of the Vault object. You can also add or remove documents from a StaticCollection object using the add , remove , and removeall methods.

Reference	Description
MPS-30094	If a script exists to configure user profile settings for a new user via VBScript, these settings are applied as expected.

For more information, see the *Meridian Enterprise VBScript API Reference Guide* or the *Meridian Enterprise .NET API Reference Guide*.

Viewer Improvements

We've made these improvements to Meridian Enterprise viewer:

Viewer improvements

Reference	Description
MPS-38739	When the Viewer is undocked and a new document is selected, the Viewer refreshes as expected.

Explorer Improvements

We've made these improvements to Meridian Explorer:

What's new in 2021 R3

Reference	Description
MPS-34956	You can now see the validation results and messages for both the scan and the import in the metadata spreadsheet of an import package.
MPS-32878	You no longer encounter an access denied error when viewing PDF files or manually added renditions if the Enable XOD viewing and Enable PDFTron viewer for PDF documents settings are enabled in Enterprise Server.

Publisher Improvements

The new features and improvements of Publisher include:

What's new in 2021 R3

Reference	Description
MPS-38776 MPS-33812	Two new Aspose rendering profile settings, Default page size and Default orientation, are available for Word, PowerPoint, Excel, and Image files.
MPS-40337	We've added a new setting that allows Meridian to recover from attempting to render a corrupt or invalid document. If you use the Teigha rendering engine and a third-party rendering component fails, we remove the document from the rendering queue. We've also added a message to the process log that informs the user that the process has failed, and then Meridian proceeds to the next document in the queue. To enable this functionality, you must set the ExternalUpdateProperties setting in the PublishingCapability.dat file to true .

Known Issues

The following known issues are in the Meridian Enterprise 2021 R3 release.

Known Issues

Reference	Description
MPS-35168	When you try to update a document in PowerWeb with Windows Search enabled, the content of the document is not always updated. A conflict might occur between Windows indexing and the command for creating a new revision in PowerWeb. This issue will be addressed in a future update of Meridian Enterprise.

2021 R2 Release Notes

Meridian Enterprise 2021 R2 was released in July 2021. Major improvements in this release include:

- **Renditions Updater Tool** — When you move from using AutoViewer to using PDFTron, you must create renditions for all previous revisions of your documents in the Vault. To simplify this process, there is a new **Renditions Updater** tool which allows you to generate these renditions in bulk.
- **Commands on Search Results** — You can now perform bulk updates on files by executing commands on search results. This functionality allows you to make changes to your documents more quickly.
- **Confirmation Pages** — You can now add confirmation pages to several events sequences in VBScript.
- **New Quick Change** — If your vault is configured to use new Quick Change, workflow events are triggered instead of working copy events, and Quick Change privileges are replaced with Workflow settings.
- **Lock Documents and Synchronize Workspace** — You can now synchronize your workspace in PowerWeb, as well as lock documents and synchronize your workspace.
- **Subscribe / Unsubscribe** — The **Change Subscription** command in PowerWeb has been split into four separate commands: **Subscribe**, **Subscribe to Project**, **Unsubscribe**, and **Unsubscribe from Project**. Additionally, you can now subscribe or unsubscribe multiple users in a batch, if you have the **Allow Management of Subscriptions for others** privilege.

Additional minor enhancements, third-party application support, and bug fixes are also included. The following sections describe the specific changes and improvements in this release.

Administration Improvements

[Learn how to update the online help link in your environment.](#)

We've made these improvements to Meridian Enterprise administration:

Administration improvements

Reference	Description
MPS-35261 MPS-37416	When you move from using AutoViewer to using PDFTron, if you want to see previous renditions of your documents you must create those renditions. To simplify this process, there is a new Renditions Updater Tool which allows you to generate these renditions in bulk. When you use this tool, the rendition settings from the current version of the document are applied to all previous renditions of the document.
MPS-23752 MPS-34809 MPS-35248 MPS-35249	Quick Change can now be converted to a configurable workflow, allowing you more configuration options. In the new Quick Change, workflow events are triggered instead of working copy events, and Quick Change privileges are replaced with Workflow settings. Learn how to convert to new Quick Change.

Reference	Description
MPS-19899	When you configure the ACME CAD Converter Rendering Module, you can now enter multiple reference paths as a semi-colon separated list in the Font search path field.
MPS-32179	When you visit the System Settings page in the Meridian Administration Console if you have Administrator permissions and the Hyperion site URL in the Enterprise Server configuration database is different to Server Name , you are now prompted to update the URL in the configuration database.
MPS-32476 MPS-33892 MPS-33893 MPS-33730 MPS-33731	<p>The Update title blocks before rendering option in the Aspose Rendering Module Options is now available for these document types:</p> <ul style="list-style-type: none"> • Doc(x); Docm • Xls(x); Xlsm • Ppt(x); Pptm • Vsdx <p>When using the Aspose render engine, this eliminates the need to run Microsoft Office applications on servers.</p>
MPS-32560	The new PDF LAYERS GROUP NAME column in translation layer tables allows you to specify a group to which a matching layer should belong. You can now leave this field blank so that the layer is not added to a group.
MPS-32650	When you edit a site, if you are not a member of the User Administrators group, but are a member of the Local User Administrators group for that Site you can now add and remove any Meridian users as members.
MPS-33695 MPS-32491 MPS-32489 MPS-34892 MPS-36537	<p>When you Manage a Meridian Enterprise Vault, you can now choose the sites that a repository belongs to. This allows you to delegate creation and management of layer translation tables to local administrators. You can:</p> <ul style="list-style-type: none"> • Restrict creation and editing of layer translation tables to only local administrators at a site • Apply layer translation tables to specific Meridian repositories so that users in PowerWeb can only select from layer translation tables associated with that vault. <p>If you have the Application Administrators permission, you can select any Meridian vault. If you do not have the Application Administrators permission, but are a member of a local administrator group for one or more sites, you can apply the layer translation table to repositories associated with those sites.</p>
MPS-33972	The new Multiple pages per sheet Aspose rendering output option allows you to select the way in which users navigate a large Excel Spreadsheet rendered with Apose.
MPS-33648	Named Licenses can now be reassigned after 30 days of inactivity.

Reference	Description
MPS-36047	A new SynchronizeDirect registry key value was added. We recommend you use this setting if you use the following file formats so that the results of synchronization will be available immediately: dst; dgn; dwg; doc; docx; docm; xls;xlsx; xlsx; ppt; pptx; pptm; vsdx; vsdm
MPS-26305	The UpdateContentPublisher registry key value's impact on system behavior has changed with the addition of the SynchronizeDirect registry key mentioned in the previous ticket. This registry key value now controls whether an update is processed by the publisher or by an application link.
MPS-34689	There are two new registry key settings which allow you or your users to control when automatic uploads of AutoCAD files are completed. This setting is called ManualUpload . If automatic uploads are disabled, a new Upload Document button is added to the Meridian ribbon. This button is visible in remote mode only, and is enabled after the first save of the document.
MPS-26346	Users are no longer able to avoid electronic signature requirements by logging into application integrations or cad links.
MPS-34966	A new registry key setting has been added which allows you to control whether a Revit project is uploaded to the vault when the project is saved.
MPS-37083	A security update made it so that Windows Search 2019 didn't allow the use of IFilters. To address this, we have added two new services to support content indexing. These are the Meridian Document Content Service and the Meridian Content Indexing Service .
MPS-22110	A new LockOnCheckOut registry key was added. This registry controls whether PowerWeb downloads and locks a document during a workflow state change. By default, downloading and locking the document is disabled.
MPS-27110	You can now configure thumbnail width and height on a rendition job.
MPS-36045	A new RefrainFromErrors registry key value was added. This registry key resolves an issue where field values in a form were not being updated correctly, which lead to an incorrect error message. This registry key value is disabled by default.
MPS-36057	A new setting has been added which allows you to disable the To-Do List in Meridian Mobile.

For more information, see the *Meridian Enterprise Administrator's Guide*.

Application Link Improvements

We've made these improvements to application links:

Application link improvements

Reference	Description
MPS-32952	When in remote mode, the application integration now detects files in the local workspace that do not exist in the vault and allows you to import them as new documents.
MPS-33713 MPS-33715 MPS-33716	All software in the AutoDesk 2022 family is now supported.
MPS-28273 MPS-37528	A new ConfirmCopyFPRSublevels setting has been added to the Application Integration tab of the Application Link Settings section of the Configurator. This setting controls whether the system copies the file path properties when the user copies and pastes a document into a different area of the application. This setting is enabled by default.

For more information, see the *Meridian Enterprise Configuration Guide* and the *Meridian Enterprise User's Guide*.

Client Improvements

We've made these improvements to Meridian clients. Improvements apply to the PowerWeb client application unless otherwise stated.

Client improvements

Reference	Description
MPS-24845 MPS-34047 MPS-34087 MPS-34137 MPS-34803	You can perform bulk updates on files by executing commands after clicking the Search Results heading. This will apply the command you select to all results in your search, including results on subsequent pages.
MPS-23752 MPS-34809 MPS-35248 MPS-35249	You can now use Quick Change as a configurable workflow. This allows more configuration possibilities for your administrator. If your vault is configured to use new Quick Change, workflow events are triggered instead of working copy events, and Quick Change privileges are replaced with Workflow settings.

Reference	Description
MPS-35505	You can now synchronize your workspace in PowerWeb, as well as lock documents and synchronize your workspace.
MPS-24940	If you have the privilege to unlock a document for others, you can now select several documents to unlock in one go instead of unlocking documents individually.
MPS-35996 MPS-35993 MPS-37242	The Change Subscription command in PowerWeb has been split into two separate commands: Subscribe and Unsubscribe . Additionally, you can now subscribe or unsubscribe multiple users in a batch, if you have the Allow Management of Subscriptions for others privilege.
MPS-37243	Two new commands have been added to PowerWeb: Subscribe to Project and Unsubscribe from Project . These commands allow you to subscribe and unsubscribe from project-specific events. Additionally, you can subscribe or unsubscribe multiple users in a batch, if you have the Allow Management of Subscriptions for others privilege.
MPS-32566	The Publisher Queue is now filtered so that it only displays jobs for the current vault.
MPS-32568	The Audit Log is now filtered so that it only displays events for the current vault.
MPS-32288	White space has been reduced on some property pages.
MPS-339 MPS-24844	References and File Properties can now be synchronized for a batch of AutoCAD, Microstation, and Office documents in PowerWeb.
MPS-32491	When you edit the rendition properties, the layer translation tables you can choose from are determined by the restrictions that your administrator has configured.
MPS-36389	In PowerWeb, when any dependency of the selected document cannot be released as master, the Release as Master action now fails.
MPS-34965	There is now a setting in your Inventor options which allows you to disable automatic upload of drawings when you save or close the drawing. When this setting is enabled, you must click the Upload Drawing button in the Link ribbon to upload your drawing to the vault.

Reference	Description
MPS-33649	<p>The behavior of the Include CAD References setting when sending documents to Meridian Portal has been modified.</p> <p>In PowerWeb, when the user sends the document to Portal with CAD references for revision:</p> <ul style="list-style-type: none"> • editable reference documents are included for revision • non-editable reference documents are included for revision <p>In PowerWeb, when the user sends the document to Portal with CAD references for information:</p> <ul style="list-style-type: none"> • reference documents are included for information <p>The Portal-side of this enhancement is still being developed. When it is complete, you will see an update in the What's New page for Meridian Cloud.</p>
MPS-37354	<p>If a user sends a project copy to Portal, and the project copy has CAD references to documents outside the project, these referenced documents are now included in the package for information.</p>
MPS-33650	<p>CAD references are now updated in PowerWeb when a package is sent from Portal to PowerWeb.</p>
MPS-34005	<p>The Site Cache client normally downloads documents via the Site Cache server, but can also directly download document from the PowerWeb Server. This may result in the document being downloaded to a different local folder, depending on the configuration of the client.</p> <p>In some cases, the Site Cache client may silently switch to direct download, resulting in the document not being in the expected place. The Site Cache client now warns that the document was not downloaded via the Site Cache server.</p>
MPS-35722	<p>Synchronizing a property value to a child file in PowerUser now works as expected.</p>
MPS-34976	<p>We have resolved a synchronization issue in PowerUser. Now, when a document tag is deleted, both the document and tag are marked as changed.</p>
MPS-35605	<p>Occasionally, errors were logged in the Enterprise Server log stating that a package was not sent to Portal due to documents being in the incorrect state, even though the package was transferred successfully to Portal. This has been fixed.</p>
MPS-35167	<p>In v6, Meridian Mobile will use Property Navigation by default.</p>

For more information, see the *Meridian Enterprise User's Guide*.

Configuration Improvements

We've made these improvements to Meridian Enterprise configuration.

Configuration improvements

Reference	Description
MPS-33045	You can now create a QuickChange Workflow Definition in the Configurator.
MPS-33750	For the new QuickChange Workflow Definition, you cannot add or remove states or transitions in the workflow diagram.
MPS-23460 MPS-35662	Users are no longer required to have the rename privilege to replace a document. This enhancement applies to both PowerWeb and PowerUser.
MPS-23825	You can now give users a security privilege to edit the annotations of other users.
MPS-35199	Clients using the Aspose Rendering module can now choose whether to migrate their document properties to the Custom section of the Office link or to continue to use the OfficeCustomProperties section. If you want to continue using the OfficeCustomProperties section, you will need to add a new record to your Office link settings.
MPS-33893 MPS-35126	If you have the Aspose Rendering Module enabled, Meridian now supports reading references for Microsoft Word, Excel, PowerPoint, and Visio documents without having Microsoft Office installed.
MPS-35071	You can now choose the way extents of hotspots are recalculated when a user updates a rendition in PowerWeb and the render job is configured to extract hotspots. To do this, the Configurator application now allows you to add the RecalculateExtentsOnHotspotExtraction option to the TAGEXTRACTION settings in the AutoCAD tab of the Application Link Settings .
MPS-32527	When a user creates an export package type in PowerWeb, and the package includes documents that have a reference with a reference type that has the Include to a Portal package setting enabled, the referenced documents will be included in the export package. References of the referenced documents will NOT be included in the export package.

For more information about these improvements, see the *Meridian Enterprise Configuration Guide*.

Customization Improvements

We've made these improvements to Meridian Enterprise VBScript customization:

Customization improvements

Reference	Description
MPS-34125 MPS-34821 MPS-34822 MPS-34823	<p>You can now add confirmation pages at several points in the document copy event sequence. These new events are:</p> <ul style="list-style-type: none"> • PreInitializeCopy • PreBeforeCopy <p>PreBeforeCopy is not called when executing Copy with References. Copy with References will call PreBeforeCopyWithReferences.</p> <p>These events can be used in wizards relating to copying documents.</p>
MPS-34761 MPS-32620	You can now add a confirmation page to the Copy with References wizard.
MPS-34835	You can now add confirmation pages to custom commands.
MPS-34831 MPS-34340	You can now add a confirmation page at several points in the revoke a document event sequence.
MPS-34306	<p>Two new arguments have been added to the Batch.Argument object property. The DocumentPath argument provides the location of the document in the local workspace starting from the root of the vault. The MatchedTypes argument provides a semicolon-delimited list of internal type names matched to the document extension.</p> <p>These arguments will only process if the NewLibraryComponentDocType setting is disabled.</p>
MPS-37087	<p>We resolved an issue where the Copy Multiple functionality was returning an error message. To implement this fix, add the following code to your VBScript:</p> <pre>Sub DocCopyMoveEvent_BeforeCopy(Batch, TargetFolder) Client.Confirmation(AS_CONFIRM_COPYFPRSUBLEVELS) = True End Sub</pre>

For more information, see the *Meridian Enterprise VBScript API Reference Guide* or the *Meridian Enterprise .NET API Reference Guide*.

Viewer Improvements

We've made these improvements to Meridian Enterprise viewer:

Viewer improvements

Reference	Description
MPS-36772	You can now print the view displayed in the PDFTron Compare window of PowerWeb or Explorer .

Explorer Improvements

We've made these improvements to Meridian Explorer:

What's new in 2021 R2

Reference	Description
MPS-21781	Explorer now uses the same file size limit as Meridian Enterprise for synchronizing revisions, renditions, or hybrid parts.
MPS-36772	You can now print the view displayed in the PDFTron Compare window of PowerWeb or Explorer .

Publisher Improvements

The new features and improvements of AccruentPublisher include:

What's new in 2021 R2

Reference	Description
MPS-16128	You can now configure a setting which sets the Modified and Modified By fields in Sharepoint to the values they have Meridian.
MPS-36773	There is a new option for the Apose Rendering Module which renders HTML documents to the smallest standard paper size that can contain the width of the document.
MPS-26305	The UpdateContentPublisher registry key value's impact on system behavior has changed with the addition of the SynchronizeDirect registry key. The UpdateContentPublisher registry key value now controls whether an update is processed by the publisher or by an application link.

Known Issues

The following known issues are in the Meridian Enterprise 2021 R2 release.

Known Issues

Reference	Description
MPS-36462	When searching in PowerWeb, if the user sets a filter on a column and starts the Change to Draft workflow transition on a batch of documents, the workflow transition will only be applied to the first document in the batch.
MPS-36420	<p>In the Create Document wizard in PowerWeb, if the user enters a new value in a property field and then uses the Tab key on their keyboard to move to the next field, the wizard page refreshes, and the focus is lost.</p> <p><i>Focus</i> determines how your keyboard interacts with elements on the page. In this example, the user cannot type in the next field, because the field is no longer in focus. The user would have to manually click inside the field to continue editing.</p> <p>To learn more about focus, see Google's Web Fundamentals article titled Introduction to Focus.</p> <p>This known issue only impacts IE 11 and Microsoft Edge.</p>
MPS-32851	When Enable XOD Viewing is enabled after previously being disabled, all renditions generated with the Aspose render engine need to be regenerated.

Update the Online Help Link - 2021 R2

We recently moved the Meridian Online Help to a new website! However, the links in the product need to be updated.

PowerWeb

To update the Online Help link in PowerWeb:

1. Access the [HKEY_LOCAL_MACHINE\SOFTWARE\Cyco\AutoManager\Meridian\CurrentVersion\WebLink](#) registry key.
2. Change the HelpURL setting to <https://help.meridian360.com/>.
3. Save your changes.

Explorer

To update the Online Help link in Explorer:

1. Navigate to C:\ProgramData\BlueCieloECM\Hyperion\WebConfigDto.dat.
2. Set the following values:
 - UserHelpURL — https://help.meridian360.com/2021_R2/
 - AdminHelpURL — https://help.meridian360.com/2021_R2/
 - PublisherHelp URL — https://help.meridian360.com/2021_R2/

2021 Release Notes

Meridian Enterprise 2021 was released in February 2021. The major themes of this release are:

- **Waiting lists** — Allow multiple engineers to create project copies of a document and edit the document when it's their turn in the queue.
- **Hotspots** — View hotspots on a PDFTron rendition and navigate to additional information from a hotspot in PowerWeb and Meridian Explorer.
- **Translation layers** — Configure layer translation tables, which contain rules that determine how layers in documents are converted when a PDF rendition is created from a document.
- **Sites** — You can now delegate application management to users on local sites.

The following sections describe the specific changes and improvements in this release. Additional minor enhancements, third-party application support, and bug fixes are also included.

Administration Improvements

The following improvements have been made to the administration of Meridian Enterprise:

Administration improvements

Reference	Description
MPS-24312	You can now configure translation layer rules that determine how layers in documents are converted when a PDF rendition is created from a document. Learn more in the <i>Create and Edit Layer Translation Tables</i> section of the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-24320 MPS-24323 MPS-32336	<p>You can now delegate application management to users on local sites. This is done by creating sites and adding groups to those sites. Users with privileges to manage a group in a site can use scopes to restrict access to views, reports, and repositories.</p> <p>The Configure Views security permission was added so that the permission to create views can be restricted by site.</p> <p>The Configure Views and Reports vault privilege was added so that access to navigation views and views can be controlled by site.</p> <p>To learn more, refer to the following articles:</p> <ul style="list-style-type: none"> • <i>Create and Edit Sites</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> • <i>Security Permission Descriptions</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> • <i>Security Privilege Descriptions</i> in the <i>Meridian Enterprise Configuration Guide</i>

Reference	Description
MPS-28504	You can now use the LogTimeStampFormat registry value to specify that the date in a comment log for a workflow action or other action is shown as the full month name. Learn more about this registry key in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\Server for a format string</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-29350	Modifying components in Meridian setup now works correctly.
MPS-29990	The new hotspot extraction options allow you to determine whether hotspots are to be extracted for the rendition job. Additionally, you can choose whether to: <ul style="list-style-type: none"> • only extract hotspots only when the rendition is out dated • trigger the Meridian script event once hot spots are successfully updated To learn more, see <i>Configure Hotspot Extraction Options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-30106	UpdateSiteCacheHealthStatus no longer produces an error after the configuration database is created
MPS-30660	You can now configure the properties shown when users hover over a hotspot on a PDFTron rendition. To learn more, see <i>Configure Hotspots</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> and <i>View Documents</i> in the <i>Meridian Explorer User's Guide</i> .
MPS-31437	You can now configure a view to download a document with redlines. To learn more, see <i>Configure the Results Grid Layout</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-32153	The repository option Transmittal Document Type was added to identify the document in Meridian that is to be used as the transmittal sheet. The content of the first document that has this Document Type is sent to Portal as the transmittal sheet. To learn more, see <i>Manage a Meridian Enterprise Vault</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .

For more information, see the *Meridian Enterprise Administrator's Guide*.

Application Link Improvements

The following application link improvements have been made:

Application link improvements

Reference	Description
MPS-20698	Scaling\fit did not work for some DGN drawings.

Reference	Description
MPS-29410	<p>You can now create an Aspose rendering profile that uses the Aspose render engine. This allows you to create rendering profiles that output to these formats:</p> <p>Word – .doc, .docx, .docm</p> <p>Excel – .xls, .xlsx, .xlsm</p> <p>Powerpoint – .ppt, .pptx</p> <p>Visio – .vsx, .vdx</p> <p>images</p> <p>Note: Before you can use the Aspose Rendering Module, you must unregister BcOfficeDocAccess.dll and ensure that if the DocAccess DLLs are unregistered, they are re-registered.</p> <p>To learn more, see <i>Configure the Aspose Rendering Module Options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i>.</p>
MPS-30505	SolidWorks 2021 is now supported.
MPS-30688	An issue in Microstation with the Update References command for Raster References was resolved.
MPS-30707	An issue with import packages not recognizing AutoCad overlay references was resolved.
MPS-31514	An issue that occurred when importing documents using application integration (AMHook 64) was resolved.
MPS-32452	The Save As dialog box now works the same in online and remote modes. In the Save As dialog box, the file name is filled with last used file name. In the office application the value is empty.
MPS-33977	Creating new documents in Microstation using remote mode no longer fails.
MPS-33979	An error no longer occurs when you save a new document in Remote mode and select location via Application Integration.

For more information, see the *Meridian Enterprise Configuration Guide* and the *Meridian Enterprise User's Guide*.

Client Improvements

The following improvements have been made to the PowerWeb client application unless otherwise noted:

Client improvements

Reference	Description
MPS-15609 MPS-32027	<p>You can now view hotspots on a PDFTron rendition and navigate to additional information from a hotspot in PowerWeb and Meridian Explorer. To learn more, see <i>View Renditions</i> in the <i>Meridian Enterprise User's Guide</i>.</p> <p>Note: 3D PDFs are not supported. Renditions with PRC support ON are not shown in PowerWeb.</p>
MPS-15638 MPS-15639 MPS-15640 MPS-15641	<p>When you view a rendition, you can now:</p> <ul style="list-style-type: none"> • delete a hotspot in edit mode • move and resize hotspot in edit mode • change the target document of a hotspot • show and hide redlines. <p>To learn more, see <i>View Renditions</i> and <i>Create, Edit, and Delete Hotspots</i> in the <i>Meridian Enterprise User's Guide</i>.</p>
MPS-15643	When you copy a document with hotspots, the hotspots are also copied so that you do not need to reenter them.
MPS-15905	Lock document command now works for a single document in an editable state when LockOnCheckOut is 0.
MPS-16147 MPS-16017 MPS-16018	Import package from file system no longer fails with Invalid Arguments error. Sending documents to Meridian Portal no longer results in errors.
MPS-17495	In PowerWeb you can now enter a comment when you start or release a Quick Change. This new feature only works with SiteCache mode enabled.
MPS-22325	Multiple engineers can create project copies of a document and edit the document when it's their turn in the queue. Waiting lists can now be used to manage waiting project copies. To learn more about waiting lists, see the <i>Waiting Lists</i> article in the <i>Meridian Enterprise User's Guide</i> .
MPS-27852	Write title block now works in PowerWeb when a document is created from a Template or the Copy, Derive, or Replace command.

Reference	Description
MPS-31994	Previously, in PowerWeb, it was not possible to make multiple copies of a document in another folder. You can now use the Copy Multiple option to make multiple copies of documents in a different folder. To learn more about this option, see the <i>Copy a Document</i> article in the <i>Meridian Enterprise User's Guide</i> .
MPS-32152	When you send documents to portal, the package now includes documents that have a reference belonging to a Reference Type configured with the option Include to a Portal package .
MPS-32370	An issue with creating a project copy was fixed.
MPS-24043	When you release a project copy as a new master document, the outgoing references are now processed the same way as PowerUser. The environment setting to include references on release is now honored. To learn more about this functionality, see the <i>Release a Project Copy as a New Master Document</i> article in the <i>Meridian Enterprise User's Guide</i> .
MPS-24677 MPS-24678	You can now set the print quality to be used in PDFTron on a document and a rendition. To learn how to use this setting, see the <i>Edit the Rendition Properties</i> article in the <i>Meridian Enterprise User's Guide</i> .
MPS-25113	In PowerWeb you can now use redline functionality on a rendition after the document is released to master.
MPS-25417	Watermarks no longer unexpectedly appear in PDFTron viewer when redlining.
MPS-27694	Error no longer occurs when you create a project copy in PowerWeb.
MPS-27986	In PowerWeb, an object not found error no longer occurs when you create a project copy with unreleased refs.
MPS-29062	When you edit redlines in PDFTron and save the changes, the changes are now saved correctly.
MPS-29411 MPS-30542	In PowerWeb, when you print a document in PDFTron, you can zoom to a particular part of the document and then you can use the Print view button on the Print dialog box to print that view. To learn how to do this, see the <i>Print a Document</i> article in the <i>Meridian Enterprise User's Guide</i> .
MPS-29515 MPS-29497	Populated document properties no longer require a value when it has already been entered.
MPS-29511	Revisions for native PDF documents are no longer shown as the first revision by PDFTron viewer.
MPS-29588 MPS-30840 MPS-32209	Several issues with dragging and dropping files were fixed.

Reference	Description
MPS-29805	In PowerWeb when you release a document from a quick change, and that document has references, the references are processed before the parent document.
MPS-29840	An issue with renditions being named as .PDF instead of .DWF was fixed.
MPS-29850	An issue with a validation option was fixed.
MPS-29894	An issue with moving documents through a workflow was fixed.
MPS-29933	An issue with the AMM Tag filter was fixed.
MPS-30115	In PowerWeb, when you quickly single select check boxes in the main grid the action is no longer mistakenly registered as double-click.
MPS-30119	In PowerWeb when you release a document from a document type workflow or custom workflow definition, and that document has references, the references are processed before the parent document.
MPS-30177	In PowerWeb, Send to Meridian Portal from a workflow transition now works when Site Cache mode is on.
MPS-30312	When you delete a document in PowerWeb, if that document has incoming references, a dialog box now prompts for confirmation in the same way as PowerUser.
MPS-30470 MPS-31964	Renditions can now be shown in PDFTron when the domain registry key is set.
MPS-30561	PowerWeb was much slower after changing to subscription licenses. Performance of cloud licensing has been improved.
MPS-30654	An error no longer occurs on workflow transitions where Site Cache Mode is turned on.
MPS-30685	An issue with deleting documents in PowerUser was resolved.
MPS-30828	<p>When you view a rendition, and the document has hotspots, you can move the cursor over a hotspot to view properties of the target for that hotspot such as:</p> <ul style="list-style-type: none"> • target identification number • tag type • tag number • target filename • name and values of properties in the Hotspot Properties column. Properties with no value for the target document are hidden. <p>To learn how to use this feature, see the <i>View Renditions</i> article in the <i>Meridian Enterprise User's Guide</i>.</p>

Reference	Description
MPS-30852	The Batch dialog box no longer freezes on the Create project copy and lock operation.
MPS-31001	In PowerWeb, the ribbon has been improved so that the Command menu can display many commands with long names.
MPS-31594	In PowerWeb, properties are now in alphabetical order for Quick Search.
MPS-31983	PowerUser sets Client.ImportDetails to 1 for all scripting events related to the Copy operation. PowerWeb set Client.ImportDetails to 0 for Copy\Derive\Replace operations. The correct values are not set for each command in PowerWeb.
MPS-31986	In PowerWeb Apply to All in wizard pages now works for transitions in ActiveX mode.
MPS-31993	In PowerWeb, when you reassign the To-Do person on a document in an editable workflow state that they have modified in the local workspace, the changes are no longer lost. Instead, the document is uploaded and becomes read only to the previous To-Do person.
MPS-32090	PDFTron no longer generates an error on some PDFs.
MPS-32467	In PowerWeb, the Draft Print privilege is no longer ignored when you click the thumbnail icon.
MPS-32774	In PowerWeb, the report command for collections now works again.
MPS-32740	In PowerWeb if a user selects a Word document, the Vault has title block synchronization configured, and the rendition job is configured to update title block properties, the document properties are updated when the user updates the rendition. The existing fields in the Word document are updated, including fields in headers and footers.
MPS-32814	In PowerWeb when you open a vault for which you have no permissions, an error message is now displayed instead of an empty page.
MPS-33386	The audit log was incorrect for the Copy Multiple event.

For more information, see the *Meridian Enterprise User's Guide*.

Configuration Improvements

The following improvements have been made to the configuration of Meridian Enterprise:

Configuration improvements

Reference	Description
MPS-24595	<p>In Meridian Configurator, you can now create a document type that determines the way in which documents are locked when multiple people are to work on the same document. The Concurrent Engineering tab has been added to enable you to specify the option you want. If Allow concurrent Engineering is selected, you can choose from:</p> <ul style="list-style-type: none"> • Merge workflow — current behavior for merging with master • Merge project — allow multiple project copies to be created • Serial change with release — allow your organization to use waiting lists for project copies <p>To learn how to use waiting lists, see the <i>Waiting Lists</i> article in the <i>Meridian Enterprise User's Guide</i>.</p> <p>Note: These options apply to new documents created with the document type. Waiting project copies are not created if the document type is changed on an existing document. For example, if you create a document with the Generic Document type, change the document type of that document to one with Serial change with release, create a project copy and then attempt to create waiting project copy, an additional project copy is created instead of a waiting project copy.</p>
MPS-30381	<p>With the Update Hotspots document privilege, you can now allow users to manipulate hotspots. To learn more about security privileges, see the <i>Security Privilege Descriptions</i> article in the <i>Meridian Enterprise Configuration Guide</i>.</p>
MPS-30777	<p>In Meridian Configurator property sets, you can now apply input restrictions to memo properties that are enabled for scripting. To learn how, see the <i>Restrict User Input</i> article in the <i>Meridian Enterprise Configuration Guide</i>.</p>
MPS-30857	<p>When you create and edit scopes, you can now select or deselect these commands on the Command Filter tab:</p> <ul style="list-style-type: none"> • Transfer to Next • Create For Info Copy <p>To learn more, see the <i>Create And Edit Scopes</i> article in the <i>Meridian Enterprise Configuration Guide</i>.</p>

Reference	Description
MPS-32140	<p>An issue was resolved where importing packages failed with the message "There is not enough space on the disk"</p> <p>Note: The default behavior is for the package source folder to be copied to the Temp folder of the service account in Meridian Enterprise Server. To change this behavior, create this .dat file:</p> <pre data-bbox="402 562 1421 625">%ProgramData%\BlueCieloECM\EnterpriseServices\ImportPackageOptions.dat</pre> <p>with this content:</p> <pre data-bbox="402 682 961 709">{ "DoNotDownloadFromFolder": true }</pre>
MPS-32151	<p>The Include to a Portal package option was added to reference types so you can specify that references belonging to the reference type should be included when a package is sent to Portal or an export package is created. To learn more, see the <i>Create And Edit Reference Types</i> article in the <i>Meridian Enterprise Configuration Guide</i>.</p>
MPS-32328	<p>The Watermark property now supports two lines. To learn more, see the <i>Viewer Object</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-33140	<p>When using script in Meridian Configurator to add watermarks in PDFTron for PowerWeb and Meridian Explorer, the watermark is now located in the correct place.</p>
MPS-32087 MPS-32088	<p>The Configure Views and Reports vault privilege was added so that access to navigation views and views can be controlled by site. To learn more about security privileges, see the <i>Security Privilege Descriptions</i> article in the <i>Meridian Enterprise Configuration Guide</i>. Report definitions can be assigned to a scope.</p>

For more information about these improvements, see the *Meridian Enterprise Configuration Guide*.

Customization Improvements

The following improvements have been made to the Meridian Enterprise customization features (VBScript):

Customization improvements

Reference	Description
MPS-24374 MPS-24595	<p>The ConcurrentEngineeringRuleProperty property was added to the Document object. This allows you to specify the way in which documents are locked when waiting lists are in use for project copies. The constant AS_CE_Rule was added to the Meridian API Types. This contains enumerations of behaviors that you can specify for a project copy:</p> <ul style="list-style-type: none"> • AS_CER_DEFAULT — default behavior • AS_CER_MERGE_WF — current behavior • AS_CER_NOT_ALLOWED — allow only one project copy. • AS_CER_SERIAL_WITH_RELEASE — allow multiple project copies. • AS_CER_SERIAL_WITH_RELEASE — reserved for future use. <p>To learn more about this property, see the <i>Document Object Properties</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-29411 MPS-23820	<p>The publishing and rendering option _PRINTING_QUALITY was added. This allows you to get and set the print quality to use with PDFTron. You can set a value between 1 and 15. To learn more, see the <i>Publishing And Rendering Options</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-30074	<p>The PublisherDestinationEvent_HotspotUpdated event was added so that you can implement a script event after tag information is extracted. The event occurs in the destination vault after publishing has ended if the Hotspot Extraction option Publisher will invoke Meridian script event when update succeeds is selected.</p> <p>To learn more, see the <i>Publishing Events</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>, and the <i>Configure Hotspot Extraction Options</i> article in the <i>Meridian Enterprise Server Administrator's Guide</i>.</p>
MPS-30126	<p>The DocProjectCopyEvent_ValidateTargetFolder event has been added to the Document Project Copy Events. This allows you to validate the target folder when an attempt is made to create a project copy. To learn more, see the <i>Document Project Copy Events</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-30464	<p>You can use the Document.CreateWaitingProjectCopy method to add a document as a new waiting Project Copy to the waiting list if the document is a master document with concurrent engineering options which allow creation of a waiting Project Copy. To learn more, see the <i>Document Object Methods</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>

Reference	Description
MPS-31501	<p>These new methods were added to link a Meridian project to a Meridian Portal project:</p> <p>Folder.LinkToPortal</p> <p>Folder.UnlinkFromPortal</p> <p>These methods use ProjectFolderPropertySet.ProjectNumber and ProjectFolderPropertySet.ProjectName property values for current project folder.</p> <p>In addition, the new Folder.LinkedProjectID property returns the ProjectFolderPropertySet.ProjectID value for current project folder.</p> <p>To learn more, see the <i>Folder Object Methods</i> and <i>Folder Object Properties</i> articles in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-31707	<p>You can use the Folder.HasDocuments property and Folder.Delete method in an event handler to determine whether a folder and its sub folders contain documents before deleting it.</p> <p>To learn more, see the <i>Folder Object Methods</i> and <i>Folder Object Properties</i> articles in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-32154	<p>Document.ContentFromReport allows you to replace content of the document with the output of the report with the specified name, scope, and template. To learn more, see the <i>Document Object Methods</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-32155	<p>ImportPackage_AfterImportedFromPortal event has been added to the BCES Import Package events to allow you to implement validation when a document is returned by a contractor. To learn more, see the <i>Package Events</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-32210	<p>When you create a batch of project copies and you use the <code>Batch.FailCurrent</code> call in the <code>BeforeNewDocument</code> event, the error message now appears in the Detail pane of the ActiveX window.</p>
MPS-32701	<p>You can use the Document.AttachWaitingProjectCopy method to attach an existing document as a waiting project copy.</p> <p>You can also use the Document.AddReorderingComment method to add a reordering comment to the Project Copy.</p> <p>To learn more, see the <i>Document Object Methods</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>
MPS-34130	<p>The Meridian Enterprise .NET SDK is installed in a new location by default: C:\Program Files\BC-Meridian\Meridian .NET SDK\v4.0\bin. Projects that contain interop library references that point to the old location (C:\Program Files\BC-Meridian\BlueCielo Meridian .NET SDK\v4.0\bin) will need to be updated to point to the library in the new location.</p>

For more information, see the *Meridian Enterprise VBScript API Reference Guide* or the *Meridian Enterprise .NET API Reference Guide*.

Viewer Improvements

The following improvements have been made to the Meridian Enterprise viewer:

Viewer improvements

Reference	Description
MPS-31991	An issue with set watermark on a Meridian environment split over several machines was resolved by installing the viewer components on the Hyperion server.
MPS-15609 MPS-32027	<p>You can now view hotspots on a PDFTron rendition and navigate to additional information from a hotspot in PowerWeb and Meridian Explorer. To learn more, see the <i>View Renditions</i> article in the <i>Meridian Enterprise User's Guide</i>.</p> <p>Note: 3D PDFs are not supported. Renditions with PRC support ON are not shown in PowerWeb.</p>
MPS-15638 MPS-15639 MPS-15640 MPS-15641	<p>When you view a rendition, you can now:</p> <ul style="list-style-type: none"> • delete a hotspot in edit mode • move and resize hotspot in edit mode • change the target document of a hotspot • show and hide redlines. <p>To learn more, see <i>View Renditions</i> and <i>Create, Edit, and Delete Hotspots</i> in the <i>Meridian Enterprise User's Guide</i>.</p>
MPS-30828	<p>When you view a rendition, and the document has hotspots, you can move the cursor over a hotspot to view properties of the target for that hotspot such as:</p> <ul style="list-style-type: none"> • target identification number • tag type • tag number • target filename • name and values of properties in the Hotspot Properties column. Properties with no value for the target document are hidden. <p>To learn more, see the <i>View Renditions</i> article in the <i>Meridian Enterprise User's Guide</i>.</p>

Explorer Improvements

The new features and improvements of Meridian Explorer include:

What's new in 2021

Reference	Description
MPS-15609	<p>You can now view hotspots on a PDFTron rendition and navigate to additional information from a hotspot in PowerWeb and Meridian Explorer. To learn more, see the <i>View Renditions</i> article in the <i>Meridian Enterprise User's Guide</i>.</p> <p>Note: When Enable XOD Viewing is turned off, an error may occur in PowerWeb or Meridian Explorer when viewing a rendition of a complex drawing using PDFTron with Microsoft Internet Explorer. To learn more about this setting, see the <i>Configure the Viewer Options</i> article in the <i>Meridian Enterprise Server Administrator's Guide</i>.</p>
MPS-24836	<p>Without installing extra components on your computer, you can now select a batch of documents and:</p> <ul style="list-style-type: none"> • download renditions • download renditions with redlines • download source files <p>The selected files are added to an archive that you can download.</p>
MPS-29407 MPS-29408 MPS-31990	<p>You can now print renditions for a batch of documents. To learn how, see the <i>Print Renditions</i> article in the <i>Meridian Explorer User's Guide</i>.</p>
MPS-29411 MPS-30543	<p>In Meridian Explorer, when you print a document in PDFTron, you can zoom to a particular part of the document and then you can use the Print view button on the Print dialog box to print that view. To learn how, see the <i>Print a Document</i> article in the <i>Meridian Explorer User's Guide</i>.</p>
MPS-29104	<p>You can now define more than one External table for a Meridian Explorer repository.</p>
MPS-29409	<p>When downloading a document or a rendition, the CONFIRM SITECACHE DOWNLOAD dialog box only appears when site cache download confirmation is enabled for the installation.</p>
MPS-29786	<p>Duplicated folders in Meridian no longer prevent Meridian Explorer synchronization.</p>

Reference	Description
MPS-29803	<p>In the PDFTron Viewer Settings you can enable XOD viewing, which allows users to view XOD files instead of native PDFs in PDFTron. To learn more, see the <i>Configure the Viewer Options</i> article in the <i>Meridian Enterprise Server Administrator's Guide</i>.</p> <p>Note: When Enable XOD Viewing is turned off:</p> <ul style="list-style-type: none"> • An error may occur in PowerWeb or Meridian Explorer when viewing a rendition of a complex drawing using PDFTron with Microsoft Internet Explorer. • Updating a rendition may fail if EDM server and Enterprise server are located on the same machine, and Content Indexing (Windows Search) is ON.
MPS-29627	Batch print no longer blocked when printing large number of documents.
MPS-30660	You can now configure the properties shown when users hover over a hotspot on a PDFTron rendition. To learn more, see <i>Configure Hotspots</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> and <i>View Documents</i> in the <i>Meridian Explorer User's Guide</i> .
MPS-31437	You can use the Download (Rendition with Redlines) option to download the rendition as a single document including redlines.
MPS-31522	<p>When Enable XOD Viewing is not selected and instead, the streams of the document are stored in SQL, and Meridian Enterprise Server does not have access to the Meridian stream. The PDF is now shown correctly in PDFTron.</p> <p>To learn more about the Enable XOD Viewing setting, see the <i>Configure the Viewer Options</i> article in the <i>Meridian Enterprise Server Administrator's Guide</i>.</p>
MPS-31502	Hotspots are now correctly synchronized.
MPS-31526	An issue with the TimeZoneOffset Cookie was fixed.
MPS-31872	Several issues with the Download rendition command in ActiveX mode were fixed.
MPS-31917	An error that occurred during Meridian Explorer synchronization was fixed.
MPS-31960	When users view or download documents in Meridian Explorer from outside their organization, correct hyperlinks are now generated.
MPS-31991	An issue with set watermark on a Meridian environment split over several machines was resolved by installing the viewer components on the Hyperion server. On split environments, the viewer components must be installed on the Hyperion server.
MPS-32604	An additional erroneous file is no longer created when downloading renditions.
MPS-32917	On the Document property page, the Document URL and Rendition URL are now presented as hyperlinks that you can select.
MPS-33435	A display issue was fixed on the Meridian Explorer home page that affected items in the recent elements list with long file names.

Publisher Improvements

The new features and improvements of Publisher include:

What's new in 2021

Reference	Description
MPS-29145	In Publisher, an issue with the Oracle Archive Log file growing rapidly was fixed.
MPS-29792	An issue was fixed where deleted users from Meridian Portal were still shown in the user selection box when a project was linked to portal or when a new project in portal was created from within Meridian.
MPS-29885	An issue where the Publisher extension could not be enabled for a meridian vault was fixed.
MPS-30077	An issue with sending documents to Meridian Portal was fixed.
MPS-30759	When you create a transmittal package, it is now sent to the correct user.
MPS-32014	Rendering jobs no longer clean local workspace folder and MetaData file incorrectly.
MPS-32740	In PowerWeb if a user selects a Word document, the Vault has title block synchronization configured, and the rendition job is configured to update title block properties, the document properties are updated when the user updates the rendition. The existing fields in the Word document are updated, including fields in headers and footers.
MPS-33626	Tag links are now created when all tags are selected and no links are present.
MPS-33681	After synchronizing properties to file for Word documents the correct licensing line is added to the original document.
MPS-33721	Previously, by default only the built in properties were included in the pdf document created by Aspose. Custom properties can now be included.

2020 R2 Release Notes

Meridian Enterprise 2020 R2 was released in July 2020. The major themes of this release are:

- Meridian Portal integration
- PowerWeb functionality
- Autodesk 2021 family support
- SAML authentication support for electronic signatures
- Autodesk Forge integration
- Numerous quality, stability, usability, scalability, and performance improvements

The following sections describe the specific changes and improvements in this release. Additional minor enhancements, third-party application support, and bug fixes are also included.

Administration Improvements

The following improvements have been made to the administration of Meridian Enterprise:

Administration improvements

Reference	Description
MPS-14116	Fixed an issue that could cause documents that have an umlaut character in their name to import from packages without file content.
MPS-17525	Additional parameter data is included in event log messages when Hypertrieve stops responding during certain operations.
MPS-19924	Fixed an issue that could cause full-text content indexing to fail.
MPS-23364	Fixed an issue that could cause the Vault Consistency Wizard to stop working with large vaults when the MaximumCacheSize setting is set to the default value.
MPS-23638	Detailed information is now included in the Vault Consistency Wizard log file for very large compartment warnings.
MPS-23700 MPS-23705 MPS-26353	In PowerWeb, electronic signatures authenticated via an OpenId identity provider are now supported when opening protected vaults or by workflow transitions as described in <i>Sign Documents</i> in the <i>Meridian Enterprise User's Guide</i> . Configuration is described in <i>Configure OpenId Connect</i> in the <i>Meridian Enterprise Administrator's Guide</i> for on-premises installations and in Configure a Third-Party Identity Provider for Meridian Cloud.
MPS-23845	Microsoft SQL Server 2019 Enterprise is now supported.

Reference	Description
MPS-24008	In an import profile, the only option for Existing documents is now Update when the destination is Meridian Portal as described in <i>Create an Import Profile</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-24713	A new utility program is installed with Meridian Enterprise to test server connectivity to the Meridian Cloud license service as described in <i>Test Cloud License Server Connectivity</i> in the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-24839	Multiple Meridian web servers may now be registered in Meridian Enterprise Server to make them easier to open by PowerWeb users as described in <i>Register Web Servers</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-25005	A new registry value MailServerParameters has been added to configure different SMTP servers per vault as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\Installed DataStores\<vaultname></i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-25110	Fixed an issue that could cause poor performance when adding members to a group in Meridian Enterprise Administrator when the Use Enterprise Server for user management option is enabled.
MPS-25179	A new server registry value XMLValidation has been added as described in the following topic to prevent authoring applications from crashing when the vault is searched in remote mode and the vault contains documents that contain invalid XML symbols. <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink</i> in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i>
MPS-25185	Packages to be sent to Meridian Portal no longer need to wait for new documents to be synchronized to the Meridian Explorer repository by a scheduled publishing job. The first synchronization job defined for a vault will now be run automatically if a new document or one of its references is unsynchronized.
MPS-25251	Fixed an issue in the Meridian Cloud Connector installation package that prevented that prevented user-configured paths from being retained during an upgrade.
MPS-25615	Fixed an issue in the Meridian Cloud Connector installation package that prevented European users from logging in through Application Integration.
MPS-26990	The subscriptions and audit log viewer (WebExtensibilityDBViewer) web application now supports the Microsoft OLE DB Driver for SQL Server (MSOLEDBSQL).
MPS-28036	A new service ContentIndexing has been added to the Windows application events log to help with search troubleshooting by Accruent Support.

Reference	Description
MPS-28112	Fixed an issue that could cause Local DB update failed and bad gateway errors when a client PC outside the local domain attempts to download documents with a site cache connected and local workspace enabled.
MPS-28159	Fixed an issue that could prevent corrupted AutoCAD drawings from logging errors when reference resolutions fails during import package scanning.
MPS-28162	Fixed an issue that could cause packages sent from Meridian Portal to fail to import if date/time values in the metadata file were specified the period (.) character instead of the colon (:) character.
MPS-28551	Fixed an issue that could cause drawings that contain invalid xrefs to log Failed to read document. An unexpected error occurred errors and Meridian Explorer synchronization jobs to fail. Now, inconsistent references will be skipped and a better warning message (Invalid reference skipped for document) will be added to the log.
MPS-28614	Fixed an issue that could cause packages to fail to import if the metadata file contains very long source file paths.
MPS-29220	The quantity of site cache messages in the event log has been reduced to warnings only.

For more information, see the *Meridian Enterprise Administrator's Guide*.

Application Link Improvements

The following application link improvements have been made:

Application link improvements

Reference	Description
MPS-20836	A new setting ReferencesCheckCircular has been added to the AutoCAD link and MicroStation link settings. It can be used to control circular reference checking and replacement. To learn more about this setting, see the <i>Advanced Settings</i> articles for the AutoCAD and MicroStation links in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-21895	The AutoCAD application link no longer prompts the user to open a document read-only or start a workflow when inserting an Xref in AutoCAD and application integration is in remote mode.
MPS-21906	When Application Integration is in Remote Mode, a document thumbnail is now shown when you click the name of a document that has a thumbnail stream. Previously, a thumbnail was not available.

Reference	Description
MPS-25292	Fixed an issue in the AutoCAD application link that could cause the properties of only one of multiple title blocks to be shown on the Title Blocks property page.
MPS-25622 MPS-25626 MPS-25627	Meridian now supports AutoCAD 2021 including these 2021 vertical toolsets: <ul style="list-style-type: none"> • Architectural • Civil 3D • Electrical • Map 3D • Map 3D • Mechanical • MEP • Plant 3D • Raster design
MPS-25623	Meridian now supports Autodesk Inventor 2021
MPS-25624	Meridian now supports Revit 2021.
MPS-25628	Meridian now supports DWGTrueView 2021.
MPS-25629	Meridian now supports Inventor Viewer 2021.
MPS-25759	Publisher now supports AutoCAD 2021 and support for AutoCAD 2016 and earlier is removed.
MPS-25888	Support for versions of Revit, SolidWorks, and Inventor earlier than 2016 is removed.
MPS-26421	Fixed an issue in the AutoCAD application link that could cause references to be disconnected between project copies if an Xref is edited in place in AutoCAD.
MPS-27001	If using two AutoCAD profiles and the first one failed, the second one started to work, but the first one could not be used for subsequent documents. The error "Detected unexpected AutoCAD process" was shown.
MPS-27058	References to the name AutoCAD P&ID in the AutoCAD Plant 3D link have been changed to AutoCAD Plant 3D.
MPS-27581	The AutoCAD link has been upgraded to use RealDWG 2021.
MPS-27836	The performance of the Autodesk Inventor link in remote mode has been significantly improved.
MPS-28351	Fixed an issue in the Microsoft Office link in remote mode that could cause Microsoft Word to stop working when a user attempts to save a document in the Master branch of the vault even though it may only be saved in the Project branch.

Reference	Description
MPS-28456	Fixed an issue in the MicroStation link that could cause title block synchronization to only work for the first drawing that is opened in a MicroStation instance and not for additional instances.
MPS-28463	A new command Update References has been added to the MicroStation link in MicroStation (x64) Connect Edition.

For more information, see the *Meridian Enterprise Configuration Guide* and the *Meridian Enterprise User's Guide*.

Client Improvements

The following improvements have been made to the PowerWeb client application unless otherwise noted:

Client improvements

Reference	Description
MPS-124	The Copy sub-menu has been removed from the folder shortcut menu.
MPS-19251	The Meridian Enterprise to Explorer synchronization has been improved so that if there is a corrupted document in a batch, only that batch fails and the rest of the synchronization job runs normally.
MPS-22108 MPS-22345	If a file is submitted to Forge and converted, you can now view it from PowerWeb. The Show rendition by Forge Native Viewer link allows you to view the document in Forge Viewer in a new browser tab as described in the <i>Third Party Viewers</i> article in the <i>Supported Software</i> document for this release. If the rendition is already in Forge, you can change the URL of the Forge Viewer for that document as described for the ChangeForgeURL method in the <i>Document Object Methods</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-22787	Fixed an issue that could cause Meridian to stop working if a search is run with a very complicated DOS wildcard expression.
MPS-23682	A new option The latest released revision has been added to the Send to Meridian Portal dialog. When selected, the latest released revision of the document is sent to Meridian Portal instead of the working copy (default).
MPS-23687	The New Version and New Revision options are no longer available for import packages that have their import profile destination set to Meridian Portal.

Reference	Description
MPS-23689 MPS-23690 MPS-23691	The Set Property Value command now allows the user to ignore validation rules per property instead of only for all properties. The audit log now includes the old property value as the third argument. The new option is only available to users with the new Advanced Set Property Value privilege described in <i>Security Privilege Descriptions</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-24000	If a document is locked to a package such as when sent to Meridian Portal, the name of the package can be found in the new AMDocumentPropertySet._LOCKPACKAGENAME property to confirm that it is safe to unlock the document.
MPS-24008 MPS-25367 MPS-26304	For the Send to Meridian Portal dialog Issue Reason option, the For Revision option is now available only for documents in an editable workflow state and assigned to the current user. The local workspace copies are synchronized to Meridian Portal before they are sent and the documents will stay locked until they are returned to Meridian from Meridian Portal and update the vault copy as described in <i>Send Documents To Meridian Portal</i> in the <i>Meridian Enterprise User's Guide</i> . If documents are released or not in an editable workflow state, the only option is For Information .
MPS-24725	The properties that may be selected as search criteria in folder searches as described in <i>Find</i> in the <i>Meridian Enterprise User's Guide</i> and the columns that are shown in the search results may now be configured by a System Administrator. For configuration information, see the Configuration Improvements section below .
MPS-24728	The collection name list in the Add to Collection dialog has been widened to 100 characters.
MPS-24838 MPS-26306	Users with the Advanced Document Properties privilege may now select from all defined properties in the Find dialog. Users without the privilege are limited to the properties specified in the Preferred for Search column collection as described in <i>Configure Column Layouts</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-25094	Fixed an issue that could cause error messages to be repeated in the progress dialog of batch operations.
MPS-25112	Fixed an issue that could cause Unable to set property 'serverUrl' of undefined or null reference errors when the page is manually refreshed while viewing a rendition in the viewer pane on Internet Explorer 11.
MPS-25186	Fixed an issue that could cause the References dialog to show the first revision of a selected document instead of the current revision when navigating between references.
MPS-25325	Routed properties can now be selected as search criteria as described in <i>Find</i> in the <i>Meridian Enterprise User's Guide</i> . To learn more about routed properties, see <i>Configure the Property Type Of a Panel Element</i> in the <i>Meridian Enterprise Configuration Guide</i> .

Reference	Description
MPS-25393	Fixed an issue that could cause automatic CAD drawing title block updates that occur during a workflow transition to leave the local workspace file in a writable state and prevent further actions.
MPS-25637	A new command Reroute Projects has been added to the Workflow group of the Folder ribbon. It can be used to reroute an entire project in its workflow as described in <i>Run a Workflow Transition</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-25763	New documents that have not already synchronized to Meridian Explorer may now be sent to Meridian Portal without waiting for the synchronization to occur. They will be synchronized automatically when sent.
MPS-25880	Fixed an issue that could cause Cannot get object.; Object not found errors when a user opens PowerWeb to a previously visited document that has since been revoked.
MPS-25889	A new command Reset Profile has been added to the users' Preferences page that, when run, sets all options to their default values and clears any session errors.
MPS-26056	Fixed an issue that could cause The wait operation timed out errors when sending documents to Meridian Portal.
MPS-26183 MPS-26184	Once you have scanned an import package, the Documents list shows the Skipped Reason for each document that could not be imported. You can now filter the list to show only those that have metadata validation errors. If you download and open the metadata spreadsheet in Microsoft Excel, you can also filter the list based on Validation Status.
MPS-26207	Fixed an issue that could cause sending large PDF documents to Meridian Portal to fail.
MPS-26333	Fixed an issue that could cause A document or folder with this name already exists errors when an image is converted to a hybrid drawing, then moved to a different folder, and then moved back to its original folder.
MPS-26644	In MeridianPowerWeb, when you link a folder to a new Meridian Portal project, the Project Number and Project Name fields on the New Meridian Portal Project dialog box are automatically filled with the folder name.
MPS-26825	When you send a document to a contractor via Meridian Portal, that document can now be automatically acknowledged, accepted, and returned to the Meridian vault instead of requiring manual actions.
MPS-26769	The Create New Version command, which performed the same action as Replace Document , has been removed.
MPS-26847	Fixed an issue that could prevent corrupted AutoCAD drawings from logging errors when content searches fail.
MPS-26872	Fixed an issue that prevented changing the reference type restriction of an existing dynamic collection.

Reference	Description
MPS-26939	In PowerUser, a script error no longer occurs when changing the state of a document on a Workflow transition that uses a script.
MPS-26980	When you start a workflow transition on a batch of documents in PowerWeb, the title bar of the dialog box that opens now shows the name of the document that is being edited.
MPS-27315	<p>A synchronization error no longer occurs when:</p> <ol style="list-style-type: none"> 1. A new document is created in Meridian Portal. 2. The new document is sent to Meridian Explorer. 3. A new change is started on the document in Meridian Explorer. 4. The document is sent to Meridian Portal for revision. <p>Previously, this was resolved by running the Explorer Sync job before sending the document to Meridian Portal.</p>
MPS-27391	We've made performance improvements so that when one cache server is unavailable, performance for all users is not degraded. When using HTTPS, it is now mandatory to install the site cache server certificate on the Meridian Enterprise Server machine otherwise the server is marked as invalid and an error is shown in the BC Application Events.
MPS-27571 MPS-28097 MPS-28851 MPS-28852 MPS-28873	Minor UI improvements.
MPS-28160	Fixed an issue that could cause packages to fail to be sent to Portal if the repository synchronization job configuration specified the vault name in FQDN format.
MPS-28243	Fixed an issue that could cause the Select User dialog box to appear with an empty user list in a specific environment configuration.
MPS-28271	Fixed an issue that could cause the workflow state to be changed only for the first 30 documents in a batch when the batch was rerouted a different state.
MPS-28420	Fixed an issue that could cause only the first document in a batch to be sent to Portal when the batch is routed to a custom workflow state.

For more information, see the *Meridian Enterprise User's Guide*.

Configuration Improvements

The following improvements have been made to the configuration of Meridian Enterprise:

Configuration improvements

Reference	Description
MPS-17175	A new option This expression must return an empty string has been added to the Validation tab of custom property configurations as described in <i>Restrict User Input</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-23639	When a file name is calculated from a document type, it is no longer truncated after the last period (.) before the file extension. For example, if aaa.bbb.1000.jpg is calculated, that is used for the file name instead of truncating it to aaa.bbb.jpg.
MPS-23688	A new column collection named Set Property Value has been added to the Environment branch in Meridian Configurator as described in <i>Configure column layouts</i> in the <i>Meridian Enterprise Configuration Guide</i> . This collection is intended to restrict the properties that users may select for the Set Property Value command described in <i>Set a property value</i> in the <i>Meridian Enterprise User's Guide</i> . Note: The vault must be upgraded as described in <i>Upgrade Meridian vaults</i> in the <i>Meridian Enterprise Administrator's Guide</i> to make this collection available. The Available columns list will also contain document properties.
MPS-23689 MPS-23690 MPS-25700	A new privilege named Advanced Set Property Value has been added as described in <i>Security Privilege Descriptions</i> in the <i>Meridian Enterprise Configuration Guide</i> . It can be used to restrict the users that may select from all defined properties when using the Set Property Value command and to disable validation rules per property as described in <i>Set a property value</i> in the <i>Meridian Enterprise User's Guide</i> . The audit log now includes the old value of the property.
MPS-24009 MPS-26342 MPS-28098	The Send to Meridian Portal for revision check box has been added to the Workflow Definition State options as described in <i>Create And Edit States</i> in the <i>Meridian Enterprise Configuration Guide</i> . When selected and a user transitions to that workflow state, the usual pane that allows the user to select to-do persons is replaced with a pane that allows them to select the Meridian Portal users who are to receive the documents.

Reference	Description
MPS-24725	<p>A new column collection named Folder Search Result Columns has been added to the Environment branch in Meridian Configurator as described in <i>Configure column layouts</i> in the <i>Meridian Enterprise Configuration Guide</i>. This collection specifies the properties that users may select as search criteria in folder searches and the columns that are shown in the search results.</p> <p>Note: The vault must be upgraded as described in <i>Upgrade Meridian vaults</i> in the <i>Meridian Enterprise Administrator's Guide</i> to make this collection available. The Available columns list will also contain document properties.</p>
MPS-19671 MPS-25770 MPS-25771	A new option Unlock all project documents from local workspace has been added to project workflow configurations as described in <i>Configure Transition Document Control</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-26602	A new option Document imported from Portal has been added to email notification event configuration.
MPS-26603	A user group may now be configured to receive email notifications when an import package fails as described in <i>Create an Import Profile</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-27299	Fixed an issue that could cause user names to be shown in an incorrect format on custom property pages.
MPS-28046	Fixed an issue that could cause lookup list fields to appear with incorrect widths in edit mode when the DataList registry value is set to 1. This registry value is documented in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink\UserPreferences\Default</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-28258	Fixed an issue with a particular revision number configuration that could cause the revision number of a project copy to be reused for subsequent project copies.
MPS-28453	Fixed an issue that could cause custom multi-line messages to not be shown correctly when a custom workflow transition authentication expression does not return True.

For more information about these improvements, see the *Meridian Enterprise Configuration Guide*.

Customization Improvements

The following improvements have been made to the Meridian Enterprise customization features (VBScript):

Customization improvements

Reference	Description
MPS-211	The performance of the GetUsersWithRole method has been significantly improved. This method is documented in the <i>Folder Object Methods</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-335 MPS-27696	The GoTo method is now supported by PowerWeb. This method is documented in the <i>Client Object</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-17171 MPS-17176 MPS-25724 MPS-25725 MPS-25728 MPS-25736 MPS-26406 MPS-26971	<p>The Batch object has been extended with a new property and methods that provide alternatives to WinMsgBox and WinInputBox, which are not supported by PowerWeb. These extensions can be used to implement custom confirmation dialogs for workflow transitions in the new DocCWFEvent_PreInitializeExecuteTransition and DocCWFEvent_PreBeforeExecuteTransition events and existing events described in <i>DocCWFEvent_ *ExecuteTransition Events</i> section of the <i>Workflow Definition Events</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p> <p>A new property ConfirmationTitle is available as well as new methods AskInput, AskConfirmation, Confirmation, and ShowInfo as described in <i>Batch Object</i> in the <i>Meridian Enterprise VBScript API Reference Guide</i>. Several data types as well as the Memo type are supported for user input.</p>
MPS-17211	Fixed an issue that could prevent a property override expression from being calculated for every document in a batch during a workflow transition.
MPS-22345	A new ForgeURL property and ChangeForgeURL method have been added to the Document object in the VBScript API. This property and method are documented in the <i>Document Object</i> section of the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-26849	The IsChangedByPortal property has been added to the Document object in the VBScript API. This property is documented in the <i>Document Object</i> section of the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-27326 MPS-27327	<p>We've added these in the VBScript API for PowerWeb to allow you to determine the document types that are configured for the current scope:</p> <ul style="list-style-type: none"> • DocumentTypes property to the Scope object, documented in the <i>Scope Object</i> section of the <i>Meridian Enterprise VBScript API Reference Guide</i> • DocGenericEvent_BeforeSelectDocType event, documented in the <i>Document Generic Events</i> section of the <i>Meridian Enterprise VBScript API Reference Guide</i>

Reference	Description
MPS-27981	Fixed an issue with the GetUsersWithRole method of the Folder object that caused it to return all users regardless of their role membership when invoked by the rescue account.

For more information, see the *Meridian Enterprise VBScript API Reference Guide* or the *Meridian Enterprise .NET API Reference Guide*.

Viewer Improvements

The following improvements have been made to the Meridian Enterprise viewer:

Viewer improvements

Reference	Description
MPS-22105 MPS-22108	Autodesk Forge is now supported for viewing AutoCAD, Autodesk Inventor, Autodesk Revit, and SolidWorks drawings.
MPS-25196	Fixed an issue that could prevent annotations from being saved for a user with extended characters in their full name.
MPS-25446	Fixed an issue that could prevent the viewer from loading documents from a site cache after the first document is viewed in a session.
MPS-26137	Fixed an issue that could cause a manually attached rendition to appear for all prior revisions of the document. The issue does not occur for automatically generated renditions.
MPS-27100	The default zoom level of the PDFtron viewer is now the full page.
MPS-28549	Fixed an issue that could cause the source document to be shown instead of its rendition when opened from a full-screen property window.
MPS-29308	The rendition tab is now shown for 3D models if the Autodesk Forge configuration is invalid.
MPS-29794	The Autodesk Forge Rendering Module now supports IFC (Industry Foundation Classes) and DGN (Bentley MicroStation) formats.
MPS-29795	The default value for the LargeViewFileSizeToWarnInKb setting, which determines the threshold before displaying a warning about Forge rendition file size has been increased to 51200 KB as described in <i>Customize the user interface</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .

Reference	Description
MPS-29798	<p>These unsupported file formats were removed from the Autodesk Forge Rendering Module:</p> <ul style="list-style-type: none"> • slddrw: • rfa: • drw:

Explorer Improvements

The new features and improvements of Meridian Explorer include:

What's new in 2020 R2

Reference	Description
MPS-19674	The security of Meridian Explorer has been improved.
MPS-21700	The Download command has been divided into separate Download (to LWS) and Download Rendition (to LWS) commands.
MPS-25911	Fixed an issue that could cause the wrong watermark to be shown in Print Preview mode.
MPS-25286	Fixed an issue that could cause Access denied errors when attempting to view a prior revision with PDFTron configured as the viewer.
MPS-25267	Fixed an issue that could cause documents to stop being shown in the viewer after deleting redlines and refreshing the page.
MPS-26118	Fixed an issue that could cause the error Invalid XOD file: Zip end header is wrong size! when viewing a superseded revision of a document.
MPS-26185	<p>We have added the Stop on validation error option to the SCAN OPTIONS group in the Miscellaneous page that appears when you create an import profile.</p> <p>If the Do not import package if property validation failed check box is selected, when you scan the import package and there are validation errors, that import package cannot be imported and an error message is shown in the Status field.</p>
MPS-28178	Fixed performance issues with multiple site caches.
MPS-28602	By default, synchronization between Meridian Explorer repositories and their Meridian Enterprise source vaults, is now done in batches of documents as described in <i>Configure the application options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> . Pre-2017 sync mode is not supported.
MPS-29329	Fixed an issue that could cause searches to return incomplete results due to timeout errors .

Reference	Description
MPS-29863	<p>If a file is submitted to Forge and converted, you can now view it from Meridian Explorer. The Open in Forge button allows you to view the document in Forge Viewer in a new browser tab as described in the <i>Third Party Viewers</i> section of the <i>Supported Software</i> document for this release.</p> <p>If the rendition is already in Forge, you can change the URL of the Forge Viewer for that document as described for the ChangeForgeURL method in the <i>Meridian Enterprise VBScript API Reference Guide</i>.</p>

Publisher Improvements

The new features and improvements of Publisher include:

What's new in 2020 R2

Reference	Description
MPS-19574	A new option Enable layer support has been added to the Acme CAD Converter rendering module as described in <i>Configure the Acme CAD Converter Rendering Module</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-22424 MPS-24117	The Autodesk Forge Rendering Module is available for rendering AutoCAD, Autodesk Inventor, Autodesk Revit, and SolidWorks drawings as described in <i>Autodesk Forge Rendering Module</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-19942 MPS-25766 MPS-27000	A new job template Synchronize Content has been added as described in the <i>Publishing Jobs</i> and <i>Configure Content Synchronization Options</i> sections of the <i>Meridian Enterprise Server Administrator's Guide</i> . The job can be used to automatically synchronize properties and references from documents.
MPS-24991	Fixed an issue that could prevent source files from being published when the Publish the source document option is enabled for jobs with SharePoint and file system destinations.
MPS-25363	Fixed an issue that could cause No storage available. ; The system cannot find the path specified errors when updating renditions.
MPS-25373	A new rendering option Disable XOD generation has been added to publishing jobs as described in <i>Configure Rendering Options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-25767 MPS-26873	A new job type Synchronize Content has been added that can be used to synchronize document properties and references as described in <i>Configure Content Synchronization Options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .

Reference	Description
MPS-27614	Fixed an issue that could cause sending a package to Meridian Portal to fail if a repository synchronization job is already running at the same time. The package transfer will now wait until the synchronization job has finished.
MPS-28946	Fixed an issue that could cause assets synchronized from Maintenance Connection to be deleted when a sync validation job is run.
MPS-28662	Minor UI improvements.

2020 Release Notes

Meridian Enterprise 2020 was released in January 2020. The major themes of this release are:

- Integration with Meridian Portal
- PowerWeb functionality
- Third-party component updates
- Numerous quality, stability, usability, scalability, and performance improvements

The following sections describe the specific changes and improvements in this release. Additional minor enhancements, third-party application support, and bug fixes are also included.

Administration Improvements

The following improvements have been made to the administration of Meridian Enterprise:

Administration improvements

Reference	Description
MPS-16871	Fixed an issue that could cause a vault to remain open after the EDM Server service was manually stopped during a long running process.
MPS-16886	When an empty Active Directory group is synchronized with Meridian Enterprise Server, the Meridian group will now be emptied also. Previously, the group was unchanged.
MPS-18173	Packages to be sent to Meridian Portal no longer need to wait to be sent for unsynchronized document revisions to be synchronized to the Meridian Explorer repository by a scheduled publishing job. The first synchronization job defined for a vault will now be run automatically if an existing document or one of its references is unsynchronized. New documents that have never been synchronized must still wait until they are synchronized.
MPS-18655	Fixed an issue that could cause repository synchronization jobs to fail that contain renamed folders.
MPS-19244	The Vault Consistency Wizard log now includes column names for item data to help interpret the results.
MPS-20260	The Meridian Cloud Connector installation package now no longer shows options that are not used in remote or cloud environments.
MPS-20571 MPS-23019	This release includes ODA Platform 2020 Update 1 (Teigha) components.

Reference	Description
MPS-20806	The Meridian Cloud Connector installation package now includes the same application links as the full client installation package.
MPS-20949	The Package can be returned option has been removed from publishing job definitions. It is replaced with the new Send to Portal option that is available when packages are created as described in <i>Send documents to Meridian Portal</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-21001	The SAMLConfigurator tool no longer saves URLs with trailing slash characters, which can lead to authentication errors.
MPS-21161	Fixed an issue that prevented some text in the installation packages from appearing in the user's selected language.
MPS-21305	A new client registry value ExcludeCertificates has been added as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\Client</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> . When set to 1, it prevents the names of certificates from appearing in the User Name list when electronically signing documents in PowerWeb with the ActiveX compatibility mode option enabled and a security policy is configured to use a certificate and PIN.
MPS-21310	Fixed an issue that could cause the error Index and length must refer to a location within the string and prevent entering license numbers in Meridian Enterprise Administrator with the Chinese language configured.
MPS-21462	A new option Meridian Portal has been added to the Meridian Enterprise Server connectivity settings to set the domain in which the tenancy resides as described in <i>View and edit the connectivity settings</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-21628	Fixed an issue that could cause repository synchronization jobs to fail that contained renditions larger than 2 GB.
MPS-21670	The default data of the CollectExisting registry value has been changed to 0 (off) as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink\Published Locations\<ID></i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-21763	Fixed an issue that could cause repository synchronization jobs to fail that contained hybrid documents with parts larger than 2 GB.
MPS-21913	Fixed an issue that could cause PowerWeb to stop working during an operation when the application pool on the Meridian web server is reset at the same time.
MPS-22120	The Meridian Cloud Connector client now supports Active Directory authentication and configurable installation options so that it can be used for on-premises deployments. For more information about the benefits, see Meridian Cloud Connector .

Reference	Description
MPS-22206	Documents imported from Meridian Portal with the issue reason of For Handover are now released instead of routed to the Quick Change state and assigned to the BC_MeridianService account.
MPS-22215	Fixed an issue that could cause the error Cannot insert duplicate key row in object 'dbo.Folder' with unique index 'IX_Folder_Name' when a synchronization job is run after an already synchronized folder is deleted and then recreated.
MPS-22265	Fixed an issue that could cause the Meridian Portal tenancy name to appear incorrectly for imported packages.
MPS-22292	Documents in a workflow with the status of Update may now be imported from Meridian Portal packages.
MPS-22352	Fixed an issue that could cause the error The application called an interface that was marshalled for a different thread when opening Meridian applications after installing Windows Updates that include .NET Framework 4.8.
MPS-22583	Fixed an issue that could cause publishing jobs with the Windows file system as the destination to require a Meridian Explorer Standard (M--EXC) client license even though a Meridian Explorer Plus (M--EXP) license is available and should be used.
MPS-22726	Fixed an issue In PowerUser and in PowerWeb with ActiveX compatibility mode enabled that could allow users unlimited authentication attempts when the Logon retries option is set to 0 (no retries).
MPS-22839	Import packages may now be imported to destination project folders by using the Project number property and Destination folder options described in <i>Manage a Meridian Enterprise vault</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> with metadata described in Import with packages .
MPS-22913	Fixed an issue that could allow users to continue to access a vault after failing to authenticate within the configured number of retries when a site cache is used.
MPS-23100	Fixed an issue in the <code>AMRep.exe</code> tool that could report incorrect operating system version numbers.
MPS-23393	TLS 1.2 is now supported by all Meridian applications by default for compatibility with SAML authentication.
MPS-23537	Fixed an issue that could cause a User...is locked or not identified as a valid user error when a new user logs in via PowerWeb instead of adding the user to the system as in PowerUser.
MPS-23817	Fixed an issue that could cause an error when running the <code>iconlsver</code> tool to reindex a restored vault.

Reference	Description
MPS-23989	The DataList PowerWeb profile setting described in <i>Deploy standard preferences</i> in the <i>Meridian Enterprise User's Guide</i> can now be set in the web server registry setting as described in <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink\UserPreferences\Default</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-24001	Microsoft .NET Framework 4.7.1 or higher is now required for server and client deployments. The installation packages will check for its installation and stop if it is not found.
MPS-24709	<p>Important!</p> <p>When this release is installed as an upgrade to an existing installation, the Meridian Enterprise Server <code>web.config</code> file is reset to its default settings. This disables HTTPS security mode and makes publishing jobs unavailable. To enable HTTPS, see <i>Configure HTTPS</i> in the <i>Meridian Enterprise Server Administrator's Guide</i>.</p>
MPS-24766	Fixed an issue that could cause an error when attempting to delete a document in the root of a vault with site cache connected.
MPS-24769	Attempting to save an import profile after mapping a property to an expression that fetches a Meridian Portal property value will cause the error The current expression has errors. Do you want to save it anyway? Proceeding to save the mapping will cause errors when documents are scanned during import and the property will not be set as expected. This issue is expected to be fixed in a future release.
MPS-24994	The Tag Synchronizer and Tag Link Synchronizer tools have been improved to import asset tags to a Meridian Cloud tenancy as described in the <i>Configure Tag Synchronizer</i> and <i>Configure Tag Link Synchronizer</i> articles in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-25089	Fixed an issue that could cause an error when attempting to enter license information in Meridian Enterprise Server with the Chinese language installed.

For more information, see the *Meridian Enterprise Administrator's Guide*.

Application Link Improvements

The following application link improvements have been made:

Application link improvements

Reference	Description
MPS-19114	Fixed an issue that could cause MicroStation v8i to crash when attaching external references.
MPS-19436	The CAD application links now support updating title blocks with script functions in Remote mode.
MPS-19627	The AutoCAD link now creates references between AutoCAD drawings and Inventor models inserted with the VIEWBASE command as described in <i>Inventor models</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-20261	In the MicroStation link, stability and performance have been improved.
MPS-20684	Fixed an issue that could prevent documents in a shared workspace accessed in Remote mode from a mapped drive from being recognized as being managed by Meridian.
MPS-21373	In the MicroStation link, the performance of synchronizing tag hotspots from MicroStation drawings has been improved.
MPS-21528	In the MicroStation link, references created with absolute paths are no longer converted to relative paths.
MPS-22223	In the AutoCAD link, fixed an issue that could cause Internet Information Server to stop working if multiple users import documents with title block synchronization enabled.
MPS-22285	In the Revit link, fixed an issue that could cause Current document is opened as read-only errors when trying to work on documents in a shared workspace in Remote mode with a site cache connected.
MPS-22353	Fixed an issue that could cause AutoCAD title block synchronization to fail in Remote mode.
MPS-23057	A new setting DisableCircularRef has been added to the TAGEXTRACTION section of the AutoCAD link settings in a vault configuration as described in <i>Configure the AutoCAD link</i> in the <i>Meridian Enterprise Configuration Guide</i> . If set to 1, warning messages about circular reference creation are suppressed.
MPS-23064	The SolidWorks application link now supports SolidWorks 2020.
MPS-24629	In the MicroStation link, a new client registry setting named ButtonsForAll has been added as described in <i>HKEY_CURRENT_USER\Software\Cyco\AutoManager Meridian\CurrentVersion\MicroStationLink</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .

For more information, see the *Meridian Enterprise Configuration Guide* and the *Meridian Enterprise User's Guide*.

Client Improvements

The following improvements have been made to the PowerWeb client application unless otherwise noted:

Client improvements

Reference	Description
MPS-165	Fixed an issue that could prevent the workflow Status property of a document from updating after running the Start Change , Revoke Documents , or Approve Documents commands after changing a lookup property on a custom page.
MPS-376	Canceling a Copy with References or Derive with References operation now gives the user the choice to revoke any copies made up to that point.
MPS-144	Fixed an issue that could cause an error when linking a project to an empty Meridian Portal repository.
MPS-432	When opening a document using Application Integration from within an application, users can now select any valid workflow transition similar to what is described in <i>Open a document from within Meridian</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-14689	When the ActiveX compatibility mode option is enabled as described in <i>Set personal preferences</i> and a site cache is connected as described in <i>Configure a site cache connection</i> and the Unlock document command (<i>Lock and unlock documents</i>) is run, the error Document...is locked by... can occur and the document is not unlocked. To prevent this error and successfully unlock a document, temporarily disable ActiveX compatibility mode , unlock the document and re-enable the option. This issue is expected to be resolved in a future release. All topics referenced for this ticket can be found in the <i>Meridian Enterprise User's Guide</i> .
MPS-16129	Fixed an issue that could cause Object not found errors when attempting to revoke a newly imported document .
MPS-16796	New commands Download to Folder and Download Renditions to Folder have been added to allow easy downloading of documents to a specific folder (other than the local workspace folder) as described in the <i>Download documents</i> and <i>Download renditions</i> articles in the <i>Meridian Enterprise User's Guide</i> .
MPS-17141	Fixed an issue that could cause the Rendition updated property to not appear in the correct color unless the mouse cursor is hovered over the field.
MPS-17400	Fixed an issue that could cause files for deleted documents to appear in folders copied out of the vault.

Reference	Description
MPS-17795	Fixed an issue that could cause thumbnail generation to fail with the ICViewPlugin viewer is active.
MPS-18521	Minor UI text improvements.
MPS-18600	General usability and visibility for users with color vision deficiency has been improved in the workflow diagram window.
MPS-19073	Fixed an issue that could cause Object not found errors when attempting to view a document when the site cache server is deployed separately from Meridian Enterprise Server.
MPS-19189 MPS-22585	Fixed an issue that could cause excessive memory consumption and sub-optimal performance by the Meridian application server when folders are expanded that contain >1000 items.
MPS-19203 MPS-20584	The package names on the Export Packages property page are now hyperlinks that, when clicked, open the package in Meridian Explorer where its contents can be viewed and if desired, opened in Meridian Portal for collaboration with external contractors.
MPS-19308	Fixed an issue that could cause the current revision to appear in the viewer when a user clicked the thumbnail of a prior revision in the list of revisions as described in <i>View prior revisions</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-19710	Fixed an issue that could errors when a site cache is connected and downloading documents with fully qualified paths longer than 260 characters.
MPS-19964 MPS-22707	The stability of user sessions under stressful conditions has been improved.
MPS-20073	Documents sent to Meridian Portal in a package for modification while they were in a workflow are now automatically imported back into the vault when they are returned from Meridian Portal. The To-Do Person value is restored to the user that was assigned at the time that the documents were sent. Previously, the package had to be imported manually. However, the documents are not automatically released from their workflow even if the Workflow state option is set to Released in the import profile.
MPS-20301	A new command Open Document has been added to the Assembly ribbon menu to make it easier to download an assembly or part from the Assembly Browser and to open it in its registered application.
MPS-20520	A new folder command Unlink From Meridian Portal has been added as described in <i>Link folders to Meridian Portal</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-20582	When a package is sent to Meridian Portal and later retracted, the documents are now automatically unlocked in the Meridian vault.
MPS-20635	The usability of the Send to Meridian Portal dialog box has been improved.

Reference	Description
MPS-20932	Documents may now be sent to Meridian Portal with the Issue Reason of For Information as described in <i>Send documents to Meridian Portal</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-20949	A new Send to Portal option is available when packages are created as described in <i>Send documents to Meridian Portal</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-21234	Batches of renditions may now be printed as described in <i>Print documents</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-21254	Fixed an issue that could prevent virtual tags from appearing for project copies without at least one literal tag reference.
MPS-21274 MPS-24131	<p>Fixed an issue that could cause outgoing tag references from appearing in reference explorer dialogs shown in PowerWeb and in PowerUser.</p> <p>Note: All customers with release 2019 or 2019 R2 who upgrade to 2020 and who use document to tag references must set (or reset) and save at least one option in the reference definition (as described in <i>Create and edit reference types</i> in the <i>Meridian Enterprise Configuration Guide</i>) to prevent those references from failing to appear in the assembly browser dialogs.</p>
MPS-21350	Fixed an issue that, when using a document property page to navigate to a different document in a different scope, changed the current scope.
MPS-21530 MPS-21834	A new clipboard feature has been added to make moving and copying items easier. New commands Cut to Clipboard , Copy to Clipboard , and Paste from Clipboard have been added as described in <i>Meridian clipboard</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-21712	When a user has a document selected and the page is refreshed because the user changed navigation views or selects a different document, the navigation tree automatically scrolls to make the selected document visible.
MPS-21973	Fixed a bug that could cause focus to jump to the root folder of the vault when a document is opened but the active focus is on a folder other than the folder where the opened document will be released to.
MPS-21996	Fixed an issue that could cause PowerWeb to stop working during an import.
MPS-22066	A new option Include transmittal in report has been added to the Generate Transmittal Sheet dialog box that, if enabled (the default is disabled), causes the transmittal report itself to appear as a row in the report as proof that it was included in the briefcase.
MPS-22088	Fixed an issue that could cause focus to jump to the root folder of the vault when a folder is deleted instead of to the parent of the deleted folder.

Reference	Description
MPS-22309	Fixed an issue that could cause a custom workflow transition to be assigned to the wrong user.
MPS-22343	Fixed an issue that could prevent shared workspace files from being removed after they were deleted from the vault with a site cache connected.
MPS-22723	The Meridian Cloud Connector installation package now includes the AutoCAD, Autodesk Inventor, Autodesk Revit, MicroStation, Solidworks, and MS Office application links.
MPS-22803	Fixed an issue that could cause only the first document in a selection to be added to an export package and the rest to fail with the error Invalid pointer .
MPS-23410	Fixed an issue that could cause sending of packages to fail due to long project names.
MPS-23501	A new option Include objects has been added to the Create Project Copy dialog. When enabled, asset tags are also shown and can be included in the copy operation if permitted by the reference type.
MPS-23537	Fixed an issue that could prevent new users from logging on with PowerWeb to create their account. They will now only receive the User...is locked or not identified as a valid user error message if their account is actually locked.
MPS-23549	The error message has been improved that is shown when a user's session times out during a lengthy operation such as importing documents.
MPS-23600	Fixed an issue that prevented the Create Project Copy with Lock command from appearing in the ribbon menu if the Copy Project Copy command is disabled in the current scope.
MPS-23706	Clipboard cut and copy operations are now logged to the audit trail.
MPS-24287	Fixed an issue that could prevent asset tags from being processed correctly for project copy operations on linked documents. Note: All customers who upgrade to 2020 and who use document to tag references must resave (click Edit and then click OK) the options on the AMM Settings page of the vault configuration (as described in <i>Configure the document to tag relationships</i> in the <i>Meridian Enterprise Configuration Guide</i>) to avoid this issue.
MPS-24361	Fixed an issue that could cause duplicate files to be created in the local workspace in remote mode when saving a document in the vault with a type that calculates the file name.
MPS-24554	Fixed an issue that could cause Execution Timeout Expired errors when opening large audit logs.

Reference	Description
MPS-24642	Fixed an issue that could cause the Select Folder dialog to be empty when a newly imported document in a project folder is released as a new master document with a scope active that has a root folder set for it.
MPS-24675	Fixed an issue that could cause custom commands that are run on a batch of folders and documents to generate errors for the folders even if the Execute recursively if applied to folders option of the custom command is disabled as described in <i>Create and edit custom commands</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-24797	Fixed an issue that could cause errors when attempting to open in its native application a hybrid part that is attached to a main document with a file size of 0.
MPS-24959	Fixed an issue that could cause an incorrect revision information to be shown for a previous revision of a document in PowerWeb.
MPS-25006	Fixed an issue that could cause repository synchronization jobs to fail for vaults with more than 1000 asset tag types.
MPS-25026	Fixed an issue that could cause errors when updating a rendition is attempted for a document under change for which its rendition has been deleted and the rendition update job has a prior revision type watermark profile assigned.

For more information, see the *Meridian Enterprise User's Guide*.

Configuration Improvements

The following improvements have been made to the configuration of Meridian Enterprise:

Configuration improvements

Reference	Description
MPS-17592	A new option Execute recursively for referenced documents has been added to custom commands as described in <i>Create and edit custom commands</i> in the <i>Meridian Enterprise Configuration Guide</i> . If enabled (default), the command will be run on each child reference of the selected document.
MPS-19391	Fixed an issue with particular properties not being included when the vault configuration is exported to a MET file.
MPS-20924	Fixed an issue that could cause the error The required property...does not exist for the current view . It is no longer possible to remove required properties from a navigation view.
MPS-21429	Fixed an issue that could cause false unknown error -2147352319 messages when entering a configuration expression.

Reference	Description
MPS-22128	A new option Secure PDF has been added to rendition watermark profiles as described in <i>Configure rendition watermarks</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> . If enabled, the option assigns a randomly generated password to the rendition watermarks to prevent tampering.
MPS-22308	New options have been added to reference type definitions as described in <i>Create and edit reference types</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-22347	A new format named Master/Project Copy has been added to the Revision number option as described in <i>Configure document revision numbers</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-24676	Fixed an issue that caused documents to not import if the source of a property mapping was an expression.

For more information about these improvements, see the *Meridian Enterprise Configuration Guide*.

Customization Improvements

The following improvements have been made to the Meridian Enterprise customization features (VBScript and .NET API):

Customization improvements

Reference	Description
MPS-19032	Fixed an issue that could cause the ProjectWorkflowEvent_PrepareBrowser event to ignore the RootFolder argument.
MPS-20349	Fixed an issue that could cause Client.Argument to return 0 for strings over 255 characters long in PowerUser.
MPS-21430	Fixed an issue that could cause the Vault.User.HasRole property to return an incorrect value.
MPS-22131	Fixed an issue that could cause the returned value from Vault.FindDocument to not include the newly created document when executed in the OnProperties event during document creation.
MPS-23961	Fixed an issue that could prevent results from appearing for dynamic scopes as described in <i>Vault Events</i> in the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-24054	Fixed an issue that could cause an outdated version of a rendition to be shown after the source document has been updated by the AddRendition method. To learn more about the AddRendition method, see the <i>Document Object Methods</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i> .

For more information, see the *Meridian Enterprise VBScript API Reference Guide* or the *Meridian Enterprise .NET API Reference Guide*.

Viewer Improvements

The following improvements have been made to the Meridian Enterprise viewer:

Viewer improvements

Reference	Description
MPS-136	Fixed an issue in the AutoVue Setup For Meridian installation package that prevented the viewer from filtering files correctly.
MPS-466 MPS-22606	Source documents in PDF format that do not have a corresponding rendition are now shown with PDFTron by default.
MPS-16878	The PDFTron viewer now supports marquee zoom when comparing documents.
MPS-17429	Added a new option Embed Acrobat viewer into Web Browser control for the Acrobat viewer that, when enabled, opens URL hyperlinks in a new browser tab.
MPS-17840	Fixed an issue that could prevent renditions from being shown with Acrobat Reader when a site cache is connected and the UsePDFTron registry value is set to 0 as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-21304	Fixed an issue in PowerUser that could cause the Search pane from appearing when a document is opened in Adobe Reader.
MPS-21835	Fixed an issue with some changes not being detected when comparing renditions.
MPS-21632	Fixed an issue with printing the differences between two revisions.
MPS-22263	Fixed an issue that could cause the remaining hotspots to not appear after removal of a manually created hotspot.
MPS-22301 MPS-23547	Fixed an issue that could cause some documents to fail to load in PDFTron.
MPS-22077 MPS-22820	Fixed an issue that could prevent annotations from being saved for very large PDF files.
MPS-22605	Source PDF documents and their revisions may now be compared using PDFTron.
MPS-23591	Fixed an issue that could prevent a confirmation dialog from appearing when a user has unsaved annotations made by PDFTron in an undocked window and they close that window or change focus to another document.

Reference	Description
MPS-23616	In PowerWeb, if the View renditions option is disabled as described in <i>Set personal preferences</i> in the <i>Meridian Enterprise User's Guide</i> and a source document in PDF format is selected, it cannot be viewed with PDFTron in Google Chrome or Microsoft Edge. The workaround is to download the document and view it in Adobe Reader or a similar viewer. This issue is expected to be resolved in a future release.
MPS-23848	Fixed an issue that could cause an undocked AutoVue window to crash Internet Explorer 11 when the window is closed.
MPS-24040	Fixed an issue with the AutoVue 3D viewer that could produce random Loading error. Turn verbosity ON and check log errors when viewing a 3D model in an unsupported format.
MPS-24208	Attempting to print a rendition from PDFTron in full-screen view can cause Out of memory errors on Windows 8.1 in Internet Explorer 11.0.9600.19573 only. Repeating the command requires terminating the extra browser process with Task Manager.
MPS-24718	Fixed an issue that could cause a master document that has had its rendition manually updated by a project copy to show the outdated rendition in the viewer.

Explorer Improvements

The new features and improvements of Meridian Explorer include:

What's new in 2020

Reference	Description
MPS-16796	New commands Download to Folder and Download Renditions to Folder have been added to allow easy downloading of documents to a specific folder (other than the local workspace folder) as described in <i>Download files</i> in the <i>Meridian Explorer User's Guide</i> .
MPS-18011 MPS-21269	Fixed an issue that prevented DWG and DGN references in subfolders from being resolved when packages are imported.
MPS-20398	The home page now initially shows the lists of views collapsed for easier selection when many views are available.
MPS-20583	Fixed issues with the Open In New Window command that could cause property pages to not open or the same page to open repeatedly.
MPS-21235	Batch printing of renditions is now supported by the PDFTron viewer.

Reference	Description
MPS-21464	Fixed an issue that could cause Document count is invalid errors when attempting to download a document that is locked in an export package.
MPS-21529	Fixed an issue with the Contents page when downloading both content and the rendition of documents.
MPS-21607	Exporting metadata to Excel is no longer limited to 1000 items.
MPS-21831	Fixed an issue that could cause an error message to appear when creating an import package and the Source folder option is left blank.
MPS-21898	Fixed an issue with documents appearing in the wrong orientation in the Draft Print selection window when a non-English language is enabled.
MPS-22168	Fixed an issue that could cause moved references to not appear in the correct folder.
MPS-22246	Fixed an issue that prevented item names from not appearing completely in the Recent Items list on the home page.
MPS-24761	If a user removes all columns from a document list view, the grid header will disappear and the view can no longer be reconfigured. The user can now press and hold the Ctrl while clicking the document list to restore the hidden columns.
MPS-24793	Exporting a package now requires that a project name be selected to which to link the package as described in <i>Export a package</i> in the <i>Meridian Explorer User's Guide</i> .
MPS-24945	Creating a new export package by adding a document to a collection is no longer allowed. Packages may now only be created as described in <i>Create a package</i> in the <i>Meridian Explorer User's Guide</i> .
MPS-25037	Fixed an issue that could cause a blank page to appear when attempting to view a rendition in a new tab after already viewing the document on a property page.

Publisher Improvements

The new features and improvements of Publisher include:

What's new in 2020

Reference	Description
MPS-19270	When publishing jobs of the type Rendition have the option Publish existing renditions if they are up-to-date enabled and the PDF file extension mapping is set to Publish unrendered , when the job runs, the Rendition updated property of the source document is now the date and time that the job ran instead of the rendition file modification date as before.

Reference	Description
MPS-21798	Fixed an issue that could cause the prior revisions of a document to show the rendition of the latest revision.
MPS-21991	Fixed an issue in the AutoCAD rendering module that could cause errors when rendering with AutoCAD Architecture.
MPS-21224 MPS-22602	A new option Label item as "Failed" has been added to publishing and rendering jobs as described in <i>Configure rendering options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-22644	Fixed an issue in the AutoCAD rendering module that could cause Cannot set plot settings to layout errors when the Use all values from layout option is enabled but the plotter name in the layout is invalid.
MPS-23003	Fixed an issue in the AutoCAD rendering module that could cause the rendering options to not be reset to their default values between the rendering of multiple layouts in the same drawing.
MPS-23615	AutoCAD drawings with models inserted with the VIEWBASE command may fail to render with the AutoCAD rendering module and result in AutoCAD generic error messages in the publishing log. This issue was not able to be resolved in time to be included in this release. It is expected to be resolved in a future release.
MPS-23620	The SOURCE DOCUMENTS settings of Export Package type publishing jobs described in <i>Configure the publishing options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> have been removed from the Meridian Enterprise Server Administration Console user interface and are now set to default values for new jobs. Existing jobs that use non-default settings will retain their settings until the job configuration is edited, then the options will be set to the default values and you will be prompted to save those changes even if you did not make any changes manually.
MPS-24478	Both the source and rendition files of documents are now included in export packages by default and the final result is determined by the publishing job configuration.
MPS-24859	Some hyperlinks in renditions might not work. This issue is expected to be resolved in a future release.

2019 R2 Release Notes

Meridian Enterprise 2019 R2 was released in July 2019. The major themes of this release are:

- Link support for the latest CAD applications
- New, smaller, and simpler PowerWeb client setup for non-CAD users
- Third-party component updates
- Numerous quality, stability, and performance improvements

The following sections describe the specific changes and improvements in this release. Additional minor enhancements, third-party application support, and bug fixes are also included.

Administration Improvements

The following improvements have been made to the administration of Meridian Enterprise:

Administration improvements

Reference	Description
MPS-200 MPS-15184	A new client installation package named the Meridian Cloud Connector is available that can be installed on PCs that will connect to Meridian Cloud only and not connect to a Meridian Enterprise on-premises installation. The installation package does not require administrative rights on the PC to run. It provides local workspace, site cache, and download functionality only. No CAD links are provided. The installation package can be downloaded from the Meridian Cloud landing page.
MPS-18268	<p>SQLite is now supported in addition to Microsoft SQL Server Compact Edition for local workspace management in the Meridian clients, and is the default for the new Meridian Cloud Connector. SQLite eliminates the previous requirement that the installation package be run with administrator permissions on the PC.</p> <p>A new value (8) is now supported by the WorkSpaceDB registry value to enable SQLite as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\Client</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i>.</p>
MPS-19205	An issue has been fixed that could cause the AutoVue client/server settings to be set on a server when Meridian server is installed with an AutoVue 3D desktop deployment already installed.
MPS-19690	An issue has been fixed that could cause the Windows Search service to remain in a disabled state after uninstalling Meridian.
MPS-19556	An issue has been fixed that could cause a vault to stop working during reindexing.

Reference	Description
MPS-19998	An issue has been fixed that could cause the UsePDFTron and DisableThumbnailUpdate registry values to be reset to the default values during an installation upgrade or repair.
MPS-20208	An issue has been fixed that could cause an Account is already registered for user error and prevent a user from opening a vault. This could occur if Meridian was configured to use Meridian Enterprise Server for user management, a new user account was created in Meridian Enterprise Server and linked to the user's FQDN or NETBIOS name, and the user attempted to open the vault using the FQDN or NETBIOS name. Now an account cannot be created if the user is already registered using a FQDN or NETBIOS name.
MPS-20861	The CAD application links and Application Integration now support site cache connections over TLS 1.0, 1.1, and 1.2.

For more information, see the *Meridian Enterprise Administrator's Guide*.

Application Link Improvements

The following application link improvements have been made:

Application link improvements

Reference	Description
MPS-15845 MPS-18560	The AutoCAD application link now supports AutoCAD 2020 and its vertical industry editions.
MPS-17112	The AutoCAD and MicroStation application links have been upgraded to the ODA Platform 2019 Update 2 libraries.
MPS-17272	Batch support for MicroStation tag extraction has been improved.
MPS-17548	An issue has been fixed in the AutoCAD application link that could cause drawings opened in AutoCAD from PowerWeb in remote mode to be read-only if the user is not the same one as is configured in the site cache connection and the Use workspace option is enabled.
MPS-17691	The AutoCAD Plant 3D link has been improved with a new configuration section named LocalDefinitions that can be added to a search rules file to support local workspace and shared workspace synchronization as described in <i>Configure project file synchronization</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-18557	The Autodesk Revit application link now supports Revit 2020.
MPS-18558	The AutoCAD application link now supports RealDWG 2020 for DWG file access.

Reference	Description
MPS-18638	The Application Integration client now shows property columns in Remote mode the same as in Online mode.
MPS-19894	An issue has been fixed in the MicroStation application link that prevented document to document relationships from being created during tag extraction.
MPS-19997	An issue has been fixed in the AutoCAD Plant 3D link that could prevent the Attach Custom command from linking related files to a project file and importing them into the vault from a shared workspace in remote mode.
MPS-20271	An issue has been fixed that could cause Application Integration (AMHookTray64) to not start automatically after Windows restarts.
MPS-20857	An issue has been fixed in the CAD links that could cause Removing this item is not allowed. ; The action cannot be completed now as it is blocked by another session errors during tag synchronizations.
MPS-20862	An issue has been fixed in Application Integration that prevented documents from downloading from a site cache using third-party authentication.

For more information, see the *Meridian Enterprise Configuration Guide* and the *Meridian Enterprise User's Guide*.

Client Improvements

The following improvements have been made to the PowerWeb client application unless otherwise noted:

Client improvements

Reference	Description
MPS-15873	Improvements have been made in stability and performance.
MPS-16592	An issue has been fixed that could cause custom icons in PowerUser to be cropped if the Windows display scaling on the user's PC is set to greater than 100%.
MPS-17215	The subscriptions viewer page can now be opened with the My Subscriptions command in the Vault ribbon menu as described in the <i>View and remove subscriptions</i> article in the <i>Meridian Enterprise User's Guide</i> . Subscriptions must still be configured first by a System Administrator as described in the <i>Install the subscriptions viewer</i> article in the <i>Meridian Enterprise Administrator's Guide</i> for the command to work.
MPS-18182	An issue has been fixed that prevented dynamic collection options from not working correctly in a new tab.

Reference	Description
MPS-18248	An issue has been fixed that could cause custom properties that are included in the Field-Path definition of hybrid part files to be set incorrectly when a project copy is made.
MPS-18349	Improved the stability of the connection of the local workspace synchronization component to a site cache server and reduced error messages.
MPS-18888	An issue has been fixed that prevented the Copy With References command from working.
MPS-19033	<p>The legacy ActiveX components can be enabled for importing documents by setting the UseHTMLImport option to 0 in individual users' profile files as described in the <i>Deploy standard preferences</i> article in the <i>Meridian Enterprise Configuration Guide</i>. It can be enabled for all PowerWeb users by setting the option in the web server registry as described in <i>HKEY_LOCAL_MACHINE\SOFTWARE\Cyco\AutoManager Meridian\CurrentVersion\WebLink\UserPreferences\Default</i> in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i>.</p> <p>When set to 1 (default), the option enables drag-and-drop document import and an HTML-based Select Folder dialog box by the Import Documents command to import documents in other than the Folders navigation view. When set to 0, the setting disables drag-and-drop document import and documents are always imported into the root folder of the vault.</p>
MPS-19210	An issue has been fixed that incorrectly included the Document Type ID column in view layouts.
MPS-19403	An issue has been fixed that could cause reference synchronization to fail when importing an assembly that requires wizard pages to be completed together with a document that has an unrelated file extension and document type.
MPS-19569	An issue has been fixed that prevented the active search criteria from appearing correctly after the search was performed.
MPS-19694	An issue has been fixed that could cause an Unexpected error to occur when a user without a profile and with cookies disabled or in a private browser session performed a search.
MPS-19708	When viewing PDF documents in the PDFTron viewer, hyperlinks now open in a separate browser tab similar to Adobe Acrobat Reader.
MPS-19779	In PowerUser, an issue has been fixed that could cause redlines to be lost when switching between applications and documents during the redlining session.
MPS-20005	The performance of navigation views that contain thousands of items has been improved 15%-20%.
MPS-20080	An issue has been fixed that could cause the New Document and Import Documents commands to be unavailable when a folder is selected in a navigation view.

Reference	Description
MPS-20310	An issue has been fixed that could cause Cannot get object; Object not found errors when revoking Quick Changes for a selection of documents.
MPS-20555	An issue has been fixed that could cause new document wizard pages to appear unexpectedly when releasing a document created new in a project as a master revision when the master document does not exist and a site cache is configured for local workspace synchronization but the Site cache mode and ActiveX compatibility mode user options are disabled.

For more information, see the *Meridian Enterprise User's Guide*.

Customization Improvements

The following improvements have been made to the Meridian Enterprise customization features (VBScript and .NET API):

Customization improvements

Reference	Description
MPS-19917	In PowerUser external property pages, the *OnSubmit events that return false now abort the form submission and keep the page in edit mode the same as PowerWeb.
MPS-20588	An issue has been fixed that could cause the RootFolder value to be lost during the ProjectWorkflowEvent_PrepareBrowser event if ProjectsFolderTree equals 1.

For more information, see the *Meridian Enterprise VBScript API Reference Guide* or the *Meridian Enterprise .NET API Reference Guide*.

Viewer Improvements

The following improvements have been made to the Meridian Enterprise viewer:

Viewer improvements

Reference	Description
MPS-17751	Matching search terms are now highlighted in the AutoVue viewer.
MPS-18561	DWG TrueView 2020 is now supported. For limitations, see the <i>Supported Software</i> document for this version of Meridian Enterprise.
MPS-19713	Renditions generated by PDFTron now display Internet (https, https) hyperlinks but not links to local files.

Reference	Description
MPS-19781	An issue has been fixed that prevented the Font Path setting from being saved for AutoVue desktop deployments used with 32-bit Meridian clients.

Meridian Explorer Improvements

The new features and improvements of Meridian Explorer include:

What's new in 2019 R2

Reference	Description
MPS-19706	An issue has been fixed that could cause source documents to be downloaded instead of renditions from a site cache.
MPS-19682	Search results are now highlighted in the AutoVue viewer.

Publisher Improvements

The new features and improvements of Publisher include:

What's new in 2019 R2

Reference	Description
MPS-14485	The Teigha DWG rendering module has two new options Enable layer support and Include layers with visibility off that can be used to create layered PDF renditions.
MPS-14486	The Teigha DGN rendering module has two new options Enable layer support and Include layers with visibility off that can be used to create layered PDF renditions.
MPS-15845	The AutoCAD rendering module now supports AutoCAD 2020.
MPS-17112	The AutoCAD and MicroStation rendering modules have been upgraded to the ODA Platform 2019 Update 2 libraries.
MPS-19331	An issue has been fixed in the AutoVue rendering module that caused it to fail when with an AutoVue 3D desktop deployment installed.
MPS-19464	The AutoCAD rendering module now adds the error message Cannot set plotter to the publishing log when the plotter is unavailable instead of AutoCAD is busy .

2019 Release Notes

Meridian Enterprise 2019 was released in March 2019. The major themes of this release are:

- Easier setup of local workspace components for PowerWeb users
- PowerWeb improvements in batch operations, lookup lists, Meridian Explorer integration, and usability
- PDFTron viewer improvements for renditions
- Seamless integration with Meridian Portal
- SAML authentication improvements

Note:

Electronic signatures are not supported with SAML authentication.

- PowerWeb extensibility through external pages
- Multi-language support for configurable vault items
- Support for cloud-based licenses

Additional minor enhancements, third-party application support, and bug fixes were also included. The following sections describe the changes and improvements in this release.

Administration Improvements

The following improvements have been made to the administration of Meridian Enterprise:

Administration improvements

Reference	Description
MPS-15	Synchronizing Meridian Enterprise Server with an Active Directory no longer records user account updates in the audit log.
MPS-23	A more descriptive error message is now shown when a user attempts to open a vault using an account name that matches their account ID and contains only numbers.
MPS-30	An issue has been fixed that could cause the Add comment permission to not work correctly in Meridian Explorer.
MPS-31	An issue has been fixed that could cause Meridian Explorer import jobs to fail if many property validations fail for the same document.
MPS-42	An issue has been fixed that could cause SAML authentication failures by the CAD links and site cache.
MPS-56	An issue has been fixed that could cause Access denied errors in vaults with no security roles assigned and SAML authentication enabled.

Reference	Description
MPS-59	A Publisher server license is no longer required for users to perform import/export package operations.
MPS-76 MRS-242	A new administrative permission group named Audit Log Viewers has been added to Meridian Enterprise Server Administration Console as described in the <i>Configure administrative permissions</i> article in the <i>Meridian Enterprise Administrator's Guide</i> . It can be set to an existing group to which you want to allow the ability to view the audit log database. Previously, only members of the Application Administrators group were able to view the audit log.
MPS-79	To help prevent accidental changes, the Server name setting described in the <i>View and edit the connectivity settings</i> article in the <i>Meridian Enterprise Administrator's Guide</i> may now be changed only by members of the local system Administrators group or the Meridian Application Administrators group.
MPS-81 MPS-95	<p>PowerWeb, Meridian Explorer, and Application Integration (site cache client) can now be configured with SAML authentication as described in:</p> <ul style="list-style-type: none"> • <i>Configure a site cache connection</i> in the <i>Meridian Enterprise User's Guide</i> • <i>Configure OpenID Connect</i> in the <i>Meridian Enterprise Administrator's Guide</i> • <i>Configure SAML authentication</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> <p>Note: Electronic signatures are not supported with SAML authentication. The Meridian authentication portal (https://auth-prd.meridiancloud.net) must be added to the Trusted Sites list of clients for single sign-on to all Meridian clients.</p>
MPS-85 MPS-14483	During processing, the Vault Consistency Wizard now displays the current step, the total number of steps, and a progress bar.
MPS-90	A command line tool is now available from Accruent Support that produces a report of documents and folders that were added or deleted by the Vault Consistency Wizard as described in <i>Run the Vault Consistency Wizard</i> in the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-91	In Meridian Enterprise Server Administration Console, a user with the User Administrator role may no longer assign users to groups that have permissions that the user does not have.
MPS-153	An issue has been fixed that could cause Internet Information Services to stop working on the Meridian web server when multiple users attempt to create documents at the same time.
MPS-270	An issue has been fixed that could cause Windows Search to stop working on the server after the Meridian search integration is installed.

Reference	Description
MPS-388	An issue has been fixed that could cause the file <code>AcETransmit.dll</code> to not be deleted when Meridian is uninstalled.
MPS-393	Vault data that is collected by Meridian Analytics is now hashed for more secure transmission to Meridian Cloud.
MPS-412	Oracle 18c (18.0.0.0) is now supported in Meridian 2018 and 2019.
MPS-414	<p>Beginning with Meridian Enterprise 2019, the Microsoft OLE DB Driver for SQL Server must be installed on the Meridian server to create vaults stored in any version of SQL Server. This driver adds support for the latest TLS 1.2 standard and is backward compatible with the SQL Server Native Client but is not included with the client. The driver is required whether TLS 1.2 is used or not.</p> <p>For more information about and to download the Microsoft OLE DB Driver for SQL Server (MSOLEDBSQL), which replaces the legacy OLE DB Provider for SQL Server (SQLOLEDB), see:</p> <ul style="list-style-type: none"> • Announcing the new release of OLE DB Driver for SQL Server • Released: Microsoft OLE DB Driver for SQL Server • Microsoft OLE DB Driver for SQL Server • Download Microsoft OLE DB Driver for SQL Server
MPS-423	The Link to Project privilege described in the <i>Security Privilege Descriptions</i> article in the <i>Meridian Enterprise Configuration Guide</i> has been renamed to Link to Portal Project .
MPS-428	A new Meridian license server may be selected during installation that connects to a single pool of subscription licenses managed in Meridian Cloud. The licenses are then claimed for 24 hours to allow for continuous use regardless of brief interruptions in Internet connectivity. The cloud license server does not support "follow the sun" license assignments.
MPS-442	An issue has been fixed that could cause unexpected results when creating project copies of a batch of documents.
MPS-445 MPS-14904	An issue has been fixed that could cause extra rendition files and PDFTron intermediate (XOD) stream files when documents are published or rendered.
MPS-461	A new option named Import scanned packages has been added to the Meridian Portal tenancy connection options in Meridian Enterprise Server Administration Console as described in the <i>View and edit the connectivity settings</i> article in the <i>Meridian Enterprise Server Administrator's Guide</i> . If enabled, packages that are successfully scanned are imported automatically and do not need to be imported manually as described in <i>Import an import package</i> in the <i>Meridian Explorer User's Guide</i> . This option is intended for use with packages sent from Meridian Portal to accelerate the document handover process.

Reference	Description
MPS-639	The WorkSpaceLocation , WorkSpaceLockID , and WorkSpaceNoUserName registry values may now be set in the HKEY_CURRENT_USER hive and are overridden by values with the same name in the HKEY_LOCAL_MACHINE hive if they exist. For more information, see the <i>HKEY_CURRENT_USER\Software\Cyco\AutoManager Meridian\CurrentVersion\Client\Settings</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-13984	The Connect as current user command described in <i>Configure a site cache connection</i> in the <i>Meridian Enterprise User's Guide</i> has been changed to Logout and the user must now manually log in with different credentials.
MPS-14425 MPS-14556	A new server registry value WorkSpaceSharedCheck has been added that, when set to 1, detects shared workspace folders during document downloads and recreates them if they do not exist, which can take a unacceptable amount of time. If this value is 0 (default), this checking is not done and downloads occur faster but referenced drawings may not be resolved correctly. For more information, see the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\Client</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-14794	An issue has been fixed that could cause No E-mail address for System.Reflection.Missing messages in the Application event log when the Project copy created event is enabled for email notifications but no users are subscribed to the source document when a project copy is made.
MPS-15106	The Meridian 2019 license server requires Meridian 2019 licenses and will not work with earlier licenses. Earlier license servers will work with Meridian 2019 licenses.
MPS-15108	An issue has been fixed that could cause vault upgrades to Oracle 9.0 to fail.
MPS-15380	An issue has been fixed in the Meridian client installation package that could cause the Meridian Portal authentication settings to be missing after installation.
MPS-15470	TLS 1.2 is now supported by all Meridian applications.
MPS-15726	An issue has been fixed that could cause synchronized documents to be missing in a Meridian Explorer repository hosted in SQL Server if the database uses accent insensitive collation.
MPS-15776	An issue has been fixed that could cause the Meridian server installation package to fail to prompt for service account credentials when adding services to an existing installation.
MPS-16239	The Check and Repair option has been removed from the Vault Consistency Wizard.
MPS-16400 MPS-16873 MPS-16874	An issue has been fixed that could cause the Meridian server to stop working after upgrading a vault.

Reference	Description
MPS-16652	An issue has been fixed that could cause the EDM server to stop working and not be able to be started again.
MPS-16664	An issue has been fixed in the installation package that could cause the Windows Search service to not restart after an upgrade is installed.
MPS-16783	An issue has been fixed that could cause the EDM server system time to jump ahead unexpectedly and results in users receiving Invalid effectivity errors.
MPS-17271	A new server registry value ViewerWithoutMDS has been added that, when set to 1 (default), prevents metadata and other data files from being sent along with document files for viewing. If this value is 0 , the metadata is always sent as in prior versions. For more information, see the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-17363	In Meridian Enterprise Server Administration Console, an issue has been fixed that prevented the Before filter from being applied to date fields in the audit log.
MPS-17507	Information is now logged when site cache servers fail to register in Meridian Enterprise Server to aid with troubleshooting.
MPS-17595	In Meridian Enterprise Server Administration Console, an issue has been fixed that could cause errors when configuring scheduled site cache cleanups.
MPS-18044	The names Meridian 360 and the abbreviation M360 in the user interface have been changed to Meridian Portal. Any remaining references to them in the software or documentation should be read as Meridian Portal.
MRS-294	New commands named Check for locked documents and Unlock documents have been added to Meridian Enterprise Server Administration Console. The commands can be used to view and unlock the documents, respectively, that are locked by a selected user as described in the <i>Manage a Meridian Enterprise vault</i> article in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MRE-5655	A new server registry value LogLastEffectivityChange has been added to help with troubleshooting mismatches between Meridian server system time and that of client PCs as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\Server</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .

For more information, see the *Meridian Enterprise Administrator's Guide*.

Application Link Improvements

The following application link improvements have been made:

Application link improvements

Reference	Description
MPS-35	An issue has been fixed that could cause the Autodesk Revit link add-in files to be installed in the wrong location on PCs with the Windows language set to German.
MPS-55	An issue has been fixed that could cause properties to fail to update when an assembly is opened from a drawing in SolidWorks.
MPS-69	The AutoCAD application link now supports AutoCAD 2019.1.
MPS-70	The Autodesk Inventor application link now supports Autodesk Inventor 2019.1.
MPS-75	A new command has been added to the AutoCAD link to route Civil 3D shortcut files to a writable state for editing and synchronization with the vault.
MPS-130	An issue has been fixed that could cause Catastrophic failure errors when using the Open , Save , or Save As commands of Application Integration after installing the July 2018 updates for Microsoft Office .
MPS-434 MPS-14815	The MicroStation application link now supports data extraction from multiple tags per cell as described in <i>Configure MicroStation tag and cell synchronization</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-463	The AutoCAD application link supports a new advanced configuration setting HybridExSearch that, when set to 1, will resolve one unresolved Xref to one unused hybrid part as described in <i>Configure advanced settings</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-470	The AutoCAD application link supports a new advanced configuration setting Civil3DHideWCDialog that, when set to 1, suppresses the data shortcut selection dialog when the Edit data shortcuts command is run as described in <i>Configure advanced settings</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-935	The AutoCAD Civil 3D application link now correctly revokes changes to data shortcuts when the application is closed with Application Integration in Remote mode.
MPS-13919	The AutoCAD application link now supports the Project Control property set of sheets sets in AutoCAD Civil 3D.
MPS-13933	The Office application link now synchronizes the fields in headers and footers in all sections of a Word document. Previously, it only synchronized the fields in the first section of the document with the assumption that subsequent headers and footers were identical and linked to the first section.
MPS-14028	AutoCAD Civil 3D models may now reside in any location that has a data shortcut and the drawings will be synchronized with the current drawing. Previously, the models had to be located in sub-folders of the data shortcut folder.
MPS-14813	The Office application link now supports Office 2019.

Reference	Description
MPS-14814	The SolidWorks application link now supports SolidWorks 2019 SP0.
MPS-14849	In the AutoCAD application link, an issue has been fixed that could cause Unknown Winlnet error 70625 errors when attempting to start a workflow from the Application Integration Open dialog box within AutoCAD.
MPS-15122	The performance of the AutoCAD Civil 3D link Synchronize Data Shortcuts to Vault command has been significantly improved by skipping unchanged data shortcuts. The link provides a new command Synchronize All Data Shortcuts To Vault for use when initializing legacy projects. The command is hidden by default and can be enabled for specific users by setting the AcadBaseConfig registry value described in the <i>HKEY_CURRENT_USER\Software\Cyco\AutoManager Meridian\CurrentVersion\AutocadLink</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-15319 MPS-17451	In the AutoCAD application link, an issue has been fixed that could cause a VBScript expression to fail that has been configured to return the tag type for tag extraction.
MPS-15379	The Office application link no longer provides a default filename in the Save As dialog box in MS Word.
MPS-15727	The MicroStation application link now supports cell text synchronization as described in <i>Configure MicroStation tag and cell synchronization</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-16006	The performance of the AutoCAD Civil 3D link synchronization to local workspace has been improved.
MPS-16011	The Save & Release command is now available in the AutoCAD application link ribbon menu in Remote mode.
MPS-16084	In the MicroStation application link, an issue has been fixed that could cause Unspecified Error errors when synchronizing Meridian property values to MicroStation numeric and date type properties.
MPS-16195	The AutoCAD and MicroStation application links have been updated with ODA Platform 2019 Update 1.
MPS-16967	In the AutoCAD application links, a new client registry setting named ButtonsForAll has been added as described in the <i>HKEY_CURRENT_USER\Software\Cyco\AutoManager Meridian\CurrentVersion\AutocadLink</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-17182	In the AutoCAD application link, an issue has been fixed that could cause the Update Vault command to fail for drawings with multiple title blocks inserted.

Reference	Description
MPS-17295	In the AutoCAD application link, a new client registry value RepairDocState has been added as described in the <i>HKEY_CURRENT_USER\Software\Cyco\AutoManager Meridian\CurrentVersion\AutocadLink</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> . When set to 1, it fixes an issue with drawings being read-only and cannot be saved when opened from PowerWeb in Online mode with a site cache configured.
MPS-17301	An issue has been fixed that could cause CAD link commands to generate LocalDB update failed errors if a site cache is connected, Application Integration is in Remote mode, and the vault section name is different than the datastore name.
MPS-18224	In the SolidWorks application link, an issue has been fixed that could cause searching with the vault browser using the contains multiple words operator to not work correctly.
SR-6590	The AutoCAD application link includes support for 32-bit AutoCAD.

For more information, see the *Meridian Enterprise Configuration Guide* and the *Meridian Enterprise User's Guide*.

Client Improvements

The following improvements have been made to the Meridian Enterprise client applications:

Client improvements

Reference	Description
MPS-21	In PowerWeb, an issue has been fixed that could cause the SelectUserDialogThreshold setting to not be applied as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink\UserPreferences\Default</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-24	An issue has been fixed that could cause A task was canceled errors when saving documents in CAD applications or releasing other document types in the following configuration: <ul style="list-style-type: none"> • Task Server is configured to update thumbnail images • Application Integration in Remote mode • Site cache mode enabled in PowerWeb • Create thumbnails on import of document enabled in PowerWeb • Update thumbnails when releasing Quick Change enabled in PowerWeb • DisableThumbnailUpdate = 2 or 3 in the PowerWeb user profile

Reference	Description
MPS-26	An issue has been fixed that could prevent editing folder properties if a user cancels a wizard page.
MPS-29	In PowerWeb in site cache mode, an issue has been fixed that could cause the OK button to be unavailable in the Add Comment dialog box.
MPS-34	In PowerWeb, an issue has been fixed that could cause The object is currently being edited by another session errors.
MPS-38	In PowerWeb, a new option named Workstation has been added as described in <i>Set personal preferences</i> in the <i>Meridian Enterprise User's Guide</i> . Users that modify documents from multiple PCs should enter the PC name there and it will be used to generate document locks in case the Meridian web server is restarted in between user sessions on different PCs.
MPS-41	An issue has been fixed that could cause Invalid argument errors when a user's name contains umlaut characters (eg. ä) and they attempt a Start Change operation.
MPS-47	An issue has been fixed that could prevent thumbnail image generation.
MPS-50 MPS-63	In PowerWeb, the Update Thumbnail command is now always available.
MPS-53	In PowerWeb, wide custom wizard pages now display better.
MPS-61	An issue has been fixed that could cause the server to stop responding when a project copy is created and a project copy already exists outside the destination folder.
MPS-64	In PowerWeb, an issue has been fixed that could cause the Select Folder dialog box to not appear when importing documents with a navigation view active.
MPS-65	In PowerWeb in site cache mode, an issue has been fixed that could cause workflow transitions to not complete if they require electronic signatures.
MPS-66	In PowerWeb in site cache mode, an issue has been fixed that could cause Http status 500: InternalServerError errors.
MPS-77	PowerWeb now remembers property filter search criteria between sessions for easy reuse as described in <i>Find</i> in the <i>Meridian Enterprise User's Guide</i> . The filters can be cleared by clicking a Reset button.
MPS-78 MRS-262	In PowerWeb, the Select Project dialog box described in <i>Create a project copy</i> in the <i>Meridian Enterprise User's Guide</i> now includes a filter text box that only shows project folders with paths that include the entered text.
MPS-92 MPS-433	BlueCielo branding has been replaced with Accruent branding.

Reference	Description
MPS-96 MRS-261	In PowerWeb, a new profile option named ProjectsFolderTree has been added that changes the behavior of the Select Project dialog box that is shown when a user creates a new project copy of a document. The user is then allowed to navigate a folder tree to select the destination folder as described in the <i>HKEY_LOCAL_MACHINE\Software\Cyco\AutoManager Meridian\CurrentVersion\WebLink\UserPreferences\Default</i> article in the <i>Registry Keys</i> section of the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-117	In PowerWeb, an issue has been fixed that could allow documents to be imported for a document type that is disabled for the current scope.
MPS-129	In PowerWeb with a site cache connection, an issue has been fixed that could cause documents that reside in a shared vault folder to fail to open by the Open command after starting a Quick Change operation.
MPS-131	In PowerWeb, an issue has been fixed that could cause errors when using the shortcut menu on the Revisions page to compare source or rendition revisions.
MPS-143	In PowerWeb, an improved error message is shown when folder property changes cannot be saved because the same folder is being simultaneously edited by another user.
MPS-146 MPS-469	All functions of Application Integration now share the same SAML authentication including: local workspace remote mode, site cache connection, CAD links, generic Windows application link as described in <i>Configure a site cache connection</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-161	In PowerWeb, the messages shown when a change is revoked under different conditions have been unified to be more consistent and descriptive.
MPS-164	In PowerWeb, an issue has been fixed that could cause linked asset tags to unexpectedly appear on the Where Used property page of an asset tag.
MPS-167	Documents sent to Meridian Portal are now locked sooner to prevent the user from attempting to send them again and thereby interfering with the export job.
MPS-171 MPS-173 MPS-175 MPS-198	Custom command names, property pages, navigation views, property names can now be shown in the user's selected language. The customer must produce a translation file (XLIFF) that contains the custom names and the corresponding translations as described in <i>Localize the user interface</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-214	In PowerWeb, an issue has been fixed that could cause subsequent document downloads to fail unexpectedly when the first downloads fails due to the user not having sufficient privileges to a referenced document.
MPS-227	The New Project and Portal Projects dialog boxes have been enhanced to show the corresponding Meridian Portal project types. The project name and number of a selected project are now filled automatically.

Reference	Description
MPS-304	In PowerWeb, a new command Download Rendition with Redlines is provided as described in <i>Download renditions</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-328	PowerWeb now supports the Create Project Copy with References command similar to PowerUser as described in <i>Create a project copy</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-375	PowerWeb now deletes folders recursively and the confirmation dialog box alerts the user to sub-folders and documents that will be deleted. Previously, the user had to first delete the sub-folders before deleting a parent folder.
MPS-390	In PowerWeb, an issue has been fixed that could cause localized text to unexpectedly appear in English.
MPS-391	In PowerWeb, an issue has been fixed that could cause errors when unlocking a document that is missing from the local workspace.
MPS-422 MPS-16403	PowerWeb now provides a Compare Renditions command that graphically overlays two renditions so that you can see the differences between them as described in <i>Compare files</i> in the <i>Meridian Enterprise User's Guide</i> . Additions are shown in green, deletions in red, and unchanged entities in black similar to the Compare command in PowerUser for source files.
MPS-442	An issue has been fixed that could cause some documents in a batch to create project copies in unexpected folders.
MPS-444	In PowerWeb, the Update Thumbnail command now works on a selection of documents.
MPS-446	In PowerWeb in online and remote mode, an issue has been fixed that could cause the AssetManagementUseAdditionalFiltering setting to be applied instead of ForceEnableFiltering .
MPS-451	An issue has been fixed that could cause local workspace files to be read-only unexpectedly after synchronizing the local workspace in Remote mode with site cache enabled.
MPS-453	The XOD Resolution property on the Rendition property page described in <i>Edit the rendition properties</i> in the <i>Meridian Enterprise User's Guide</i> is now applied to rendition generation as well as to viewing.
MPS-467	Optimization has been done to reduce the chance of References to the transaction still exist errors.
MPS-471	Documents that are sent to Meridian from Meridian Portal for editing and then sent back to Meridian Portal are detected as having originated from Meridian Portal and automatically become new revisions of the original document.
MPS-472	In PowerWeb, an issue has been fixed that could cause watermark printing to be unstable.

Reference	Description
MPS-478 MPS-17542	In PowerWeb, some error messages have been improved and made more reliable.
MPS-1905	The Rendition property set is now supported by the Set Property Value command as described in <i>Edit the rendition properties</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-2042	A new navigation view named Active Comments has been added to PowerWeb that lists documents that have open comments.
MPS-8587	In PowerWeb, the project members page described in Manage project membership can now be shown for project folders.
MPS-13787	In PowerWeb in site cache mode, an issue has been fixed that could cause saving documents from CAD applications to fail.
MPS-13915	In PowerWeb, an issue has been fixed that could cause read-only multivalued properties that have been set by the Set Property Value command to be cleared when exiting edit mode.
MPS-13943	The Send to M360 Project Portal dialog box now shows the Meridian Portal roles of the users to aid in selecting the correct recipients.
MPS-13983	The PowerWeb Find dialog box now accepts longer property names.
MPS-13999	The Send to Portal command now checks if each document in a package has been synchronized with Meridian Explorer before sending the package. If one or more documents have not yet been synchronized, the operation is aborted and the unsynchronized documents are listed in the progress dialog box.
MPS-14256	In PowerWeb, an issue has been fixed that could cause Date criteria in shared dynamic collections to be shown incorrectly.
MPS-14271	PowerWeb now presents all vault configuration text in the user's preferred language as described in <i>Set personal preferences</i> in the <i>Meridian Enterprise User's Guide</i> .
MPS-14277	In PowerUser, an issue has been fixed that could cause the server to stop responding when a user performs a Quick Search, sorts the results on the DocumentType property and then performs another search.
MPS-14288 MPS-14926	In PowerWeb, an issue has been fixed that could cause some menu items to be unavailable if the linked Meridian Portal tenancy is misconfigured.
MPS-14382	In PowerWeb in site cache mode, an issue has been fixed that could cause previously selected to-do persons to be unassigned from a document after performing a search for and assigning another person.
MPS-14400	In PowerWeb, an issue has been fixed that could prevent item linking using the Drawing Tags and Text Tags dialog boxes.

Reference	Description
MPS-14430 MPS-15479	User names with special German characters are now displayed correctly.
MPS-14563 MPS-15288	An issue has been fixed that could cause PowerUser to stop responding when printing documents through AutoVue.
MPS-14591	An issue has been fixed that could cause local workspace synchronization from a site cache to fail.
MPS-14777	Double-clicking a document to open it when it is already in a writable workflow state with a circular transition no longer prompts the user to route the document to a writable state.
MPS-14799	In PowerWeb, an issue has been fixed that could cause Object not found errors when deleting a document from the search results view of a project.
MPS-14915	An issue has been fixed that could cause a blank page to appear when starting a PowerWeb session.
MPS-14922	An issue has been fixed that could cause date values used as dynamic collection property filters to show incorrectly.
MPS-15100	An issue has been fixed that could cause the wrong workflow transition prompt dialog box to appear when both Site cache mode and ActiveX compatibility mode options are disabled.
MPS-15352	A new field Package description has been added to the Sent to Meridian Portal dialog box to provide a description to the package recipient.
MPS-15392	An issue has been fixed that could cause the Start Change command in PowerWeb with a site cache enabled to unlock documents that were locked by the Send to Portal command.
MPS-15519	The PowerWeb scripts are now installed as minified code to increase page loading speed and security.
MPS-15538	In PowerWeb, an issue has been fixed that could prevent it from correctly claiming a license.
MPS-15546	In PowerWeb, an issue has been fixed that could show the latest revision to be shown when the user attempts to show a prior revision from the Show Revision list and a site cache is connected.
MPS-15777	In PowerWeb, an issue has been fixed that could cause it to claim a license for the service account instead of the user if SameIISEDMAccount is set to 1.
MPS-15837	In PowerWeb, an issue has been fixed that could prevent document content from appearing correctly that was repeatedly uploaded with the Replace content option.

Reference	Description
MPS-15846	In PowerWeb, an issue has been fixed that could prevent users from creating folders of custom types in a scope in which the New Folder command has been disabled.
MPS-15903	In PowerWeb, an issue has been fixed that could cause date values to be shown incorrectly in HTML reports.
MPS-16064	An issue has been fixed that could cause Removing this item is not allowed. ; Link already exists errors when removing multiple security role assignments from the root of the vault.
MPS-16072	In PowerWeb, an issue has been fixed that could cause the Go to vault selection page link to return the user to the last opened vault instead.
MPS-16127	An issue has been fixed that could that could cause the Convert to Hybrid command described in <i>Convert normal documents into hybrid documents</i> in the <i>Meridian Enterprise User's Guide</i> to create incomplete filenames for hybrid parts if the main part contained periods (.)
MPS-16249	In PowerWeb, the Apply the same folder for other documents option has been removed from the Select Folder/Select Project dialog box in the Import Documents command so as to not conflict with batch processing performed by custom scripts.
MPS-16345	In PowerWeb, an improved message is shown when a user attempts to run the Issue New File Name command on a document without a site cache correctly configured.
MPS-16353	In PowerWeb, an issue has been fixed that could cause invalid commands to appear in a shortcut menu when the user clicks the Search Results heading.
MPS-16358	In PowerWeb, the Import Documents command now shows the vault name instead of the publish location name.
MPS-16528	In PowerWeb, an issue has been fixed that could cause the Select Folder dialog box to be empty when importing documents with a scope active that is limited to a specific folder and a navigation view selected that is other than the Folders view.
MPS-16580	In PowerWeb, an issue has been fixed that could cause Invalid class string errors when users attempt to run the Send to Portal command.
MPS-16581	In PowerWeb, an issue has been fixed that could cause the menu ribbon to unexpectedly appear on the vault selection page.
MPS-16604	In PowerWeb, an issue has been fixed that could cause a document that is locked in an export package to be unlocked when the document is included in a selection with other documents when the user invokes the Start Change command.
MPS-16622	Related tag objects are no longer downloaded by referenced documents when viewing or editing. For this to affect an existing vault, open the vault in Meridian Configurator, open the AMM Settings page for editing, and then click OK without making any changes.

Reference	Description
MPS-16625	In PowerWeb, an issue has been fixed that could cause data values to appear as strange characters on the Title Blocks property page.
MPS-16869	In PowerWeb, an issue has been fixed that could set the Hybrid property to No for new documents created from a document type configured as a hybrid document.
MPS-17457	In PowerWeb, an issue has been fixed that could prevent notifications from being shown when a user downloads a document to their local workspace if the workstation name is entered in lower case.
MPS-17467	To link or unlink tags from documents or from other tags, you must now have the Edit Tag Assignments privilege for the command buttons to be available and the current document must be the latest revision of the document.
MPS-17642	In PowerWeb, an issue has been fixed that could cause Object not found errors when creating project copy of a document without references.
MPS-17863	In PowerWeb, an issue has been fixed that could cause a document to not be locked when both a site cache and ActiveX compatibility mode are enabled.
MPS-17868	In PowerWeb, the performance of showing pages with many items has been dramatically improved.
MPS-17891	In PowerUser, an issue has been fixed that could cause sending a Revit file to Meridian Portal to fail.
MPS-17984	In PowerUser, an issue has been fixed that could cause the size of files larger than 3 GB to show incorrectly in search results.

For more information, see the *Meridian Enterprise User's Guide*.

Configuration Improvements

The following improvements have been made to the configuration of Meridian Enterprise:

Configuration improvements

Reference	Description
MPS-16 MPS-420 MPS-421	A new element type named Hyperlink can be added to a property page panel layout to show a custom hyperlink. The destination URL and display text can be static or calculated by VBScript expressions. For more information, see <i>Configure the property type of a panel element</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-268	An issue has been fixed that could cause the security role assignments of a parent folder to be incorrectly applied to its child folders when role assignments are imported with the InheritFromParent option set to False.
MPS-350	The Unlock Documents for Others privilege has been moved from the Vault section to the Folder section so that the privilege can be granted for specific folders and projects.
MPS-14253	An issue has been fixed that could cause a new document type to show electronic signature wizard pages even though they were not enabled in the vault configuration.
MPS-14271	Custom command names, navigation view names, property page names, panel text, and property names in the user interface can now be localized by customer-provided translations files as described in <i>Localize the user interface</i> in the <i>Meridian Enterprise Configuration Guide</i> .
MPS-15328	An issue has been fixed that could cause the Script keyword to not work in the TagType settings of AutoCAD and MicroStation application link configurations.
MPS-15584	PowerWeb server performance has been improved for configurations with inactive external pages.
MPS-17521	In PowerWeb with ActiveX mode enabled, an issue has been fixed that prevented the e-signature dialog box from appearing on project folder transitions if wizard pages were applied to the transition. The dialog box appeared correctly with site cache mode enabled.
MPS-17656	The publishing job options Content to include = Current master, Lock master documents , and Create project copy have been removed when the destination system is Meridian Portal. Now, a project copy is always created if it doesn't already exist, the project copy is always published, and master documents are not locked to Meridian Portal.
MPS-17814	A new setting named ChunkSize has been added to the <code>BCReminder.exe</code> program as described in <i>Configure reminders</i> in the <i>Meridian Enterprise Configuration Guide</i> . It can be modified to set the maximum number of documents to list in individual email reminder messages.

Customization Improvements

The following improvements have been made to the Meridian Enterprise customization features (VBScript and .NET API):

Customization improvements

Reference	Description
MPS-28	The Meridian Explorer web APIs GetDocuments and GetDocument described in <i>Web API reference</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> now return the correct URLs for rendition content.
MPS-32	An issue has been fixed that could cause the VBScript DocGenericDevent_BeforeDelete and DocGenericDevent_AfterDelete events to be skipped when a user deletes a folder.
MPS-57	The Vault.User.HasRole property now correctly returns Folder.Roles.Assignments results for all sub-folders of a parent folder as described in <i>HasRole property</i> section of the <i>User Object</i> article and <i>Assignments property</i> section of the <i>Role Object</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-93	The DocGenericEvent_BeforeDelete and DocGenericEvent_AfterDelete event handlers have been extended to occur also for folders as described in the <i>Document Generic Events</i> article in the <i>Meridian Enterprise VBScript API Reference Guide</i> .
MPS-419	A new SignatureRequired property (False by default) has been added to the Transition object. It can be used to determine if a workflow transition requires electronic signatures.
MPS-426	Authorized Accruent Partners can now develop custom property pages for PowerWeb.
MPS-452	An issue that caused the DocCopyMoveEvent_BeforeCopy event to return the source folder in the TargetFolder parameter has been fixed.
MPS-14731	The default value of the Batch.ApplyToAll property has been changed from False to True.
MPS-15669	An issue has been fixed that could cause a Catastrophic failure error in PowerWeb when a custom command calls the Connection API InvokeEDMUICommand method with AMIV_UPDATETHUMBNAILS set to -28.
MPS-15765	An issue has been fixed that could cause the Batch.FailCurrent method to raise a property validation error in workflow transition operations.
MPS-16249	The DocGenericEvent_InitializeNewDocument and DocGenericEvent_TerminateNewDocument event handlers are now only invoked once per batch of documents by the Import Documents command.
MPS-18385	An issue has been fixed that could cause the DWGTagExtractor object to not work with batches of drawings.

For more information, see the *Meridian Enterprise VBScript API Reference Guide* or the *Meridian Enterprise .NET API Reference Guide*.

Viewer Improvements

The following improvements have been made to the Meridian Enterprise viewer:

Viewer improvements

Reference	Description
MPS-18	Matching terms are now highlighted in the PDFTron viewer from the result of Quick Find searches.
MPS-54 MPS-14850	An issue has been fixed that could cause the Compare command to show documents in the incorrect order in the AutoVue viewer.
MPS-182	When viewing a rendition in PDFTron, the zoom factor is now limited to 1000%.
MPS-239	The AutoVue software is no longer provided in the Meridian Enterprise installation package and licenses may only be obtained from Oracle. However, Meridian integration will continue to be supported. A separate installation package named AutoVue Setup for Meridian is available upon request to existing customers who upgrade from a previous Meridian release that installed AutoVue.
MPS-427	PDFTron 3.3 is included in this release.
MPS-429	AutoVue 21.0.1.6 is supported by this release.
MPS-431	When viewing a rendition in Pan mode and the user fits the page to the viewing window, Zoom mode is enabled automatically to allow the user to immediately zoom in to a desired area.
MPS-460	When annotating a rendition in PDFTron, if the user has unsaved changes when they click outside the viewer, a warning message is now shown so that the user can save their changes.
MPS-464	In PowerWeb, multiple users may concurrently annotate a rendition in PDFTron without conflicts.
MPS-473 MPS-15390 MPS-15391	In PowerUser with the AutoVue viewer enabled, an issue has been fixed that could cause the program to stop responding when browsing drawings with very many hotspots.
MPS-13898	An issue has been fixed that could cause the AutoVue viewer default user profile file <code>default.ini</code> to not be applied.
MPS-14495	An issue has been fixed that could cause the AutoVue viewer to stop responding when browsing AutoCAD drawings.

Reference	Description
MPS-14889	SolidWorks eDrawings 2019 is now supported.
MPS-15821	Hotspots may now be shown as either outlines or filled. To show outlines in an AutoVue desktop deployment, set the option in the Viewer Options dialog box described in <i>Change viewers</i> in the <i>Meridian Enterprise User's Guide</i> . To show outlines in an AutoVue Client/Server deployment, add HOTSPOTSTYLE=1 to the <code>allusers.ini</code> file described in <i>Deploy standard viewer settings</i> in the <i>Meridian Enterprise Administrator's Guide</i> .
MPS-16795	In PowerWeb and Meridian Explorer, a descriptive error message is shown if a rendition fails to load during the Compare command.
MPS-20190	In 32-bit PowerUser, an issue has been fixed that could cause the program to stop responding when attempting to view a document from the Where Used property page.

Explorer Improvements

The new features and improvements of Meridian Explorer include:

What's new in 2019

Reference	Description
MPS-33 MPS-15444	Thumbnail images now appear for source and rendition files for users with either the View Native or View Rendition permissions.
MPS-464	Multiple users may concurrently annotate a rendition in PDFTron without conflicts.
MPS-477	Meridian Explorer now uses the full-text index on the Meridian Enterprise application server instead of the full-text index of the Meridian Explorer repository database. This change allows tags to now be supported by full-text search.
MPS-2042	A new filter named Active Comments has been added to the search form.
MPS-13862	An issue has been fixed that could cause messages for some languages to not fit in the References and Related Tags dialog boxes.
MPS-14015	An issue has been fixed that could prevent watermarks from appearing in hardcopies printed from the PDFTron viewer.
MPS-14021	Users are now warned if they attempt to navigate away from the viewer before saving annotations.
MPS-14209	An issue has been fixed that could prevent annotations from being saved that were made in the PDFTron viewer.

Reference	Description
MPS-14395	An issue has been fixed that could cause the {webaccess} placeholder to not work as described in <i>External page URL placeholders</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-15006	Navigating via hotspots from a document that was opened via a hotspot now works correctly.
MPS-15014	An issue has been fixed that could cause watermarks to print in the wrong color.
MPS-15552	An issue has been fixed that could cause the AutoVue viewer to stop responding after browsing many documents.
MPS-17585	An issue has been fixed that could cause the local time to display incorrectly.
MPS-18108	An issue has been fixed that could cause unexpected results when searching by dates.
MRE-196	A new option named Print in background has been added to the Draft Print dialog box. If enabled, it allows printing to continue when the browser window is minimized. Otherwise, printing is suspended.

Publisher Improvements

The new features and improvements of Publisher include:

What's new in 2019

Reference	Description
MPS-14	The SYNCH VALIDATION command has been removed from the publishing jobs Overview page and a new option Repair inconsistencies has been added to the Management Tools page of repositories.
MPS-39	An issue has been fixed that could cause documents that were discarded from work areas in legacy vaults to fail to synchronize to a Meridian Explorer repository.
MPS-44	An issue has been fixed that could cause rendition jobs to fail if the Watermark prior version option is enabled and the XOD Resolution property of the document is empty.
MPS-48	An issue has been fixed that could cause synchronization job errors for asset tags with invalid Asset Category values.
MPS-51	An issue has been fixed that could cause files to fail to import if their filenames contain any URI delimiter characters (<>#%).

Reference	Description
MPS-60	An issue has been fixed that could cause SharePoint jobs to fail when publishing empty values to Multi-Value or Person and Group fields.
MPS-69	The AutoCAD rendering module now supports AutoCAD 2019.1.
MPS-70	The Autodesk Inventor rendering module now supports Autodesk Inventor 2019.1.
MPS-162 MPS-14612	The quality of renditions created by the Teigha DWG rendering module that contain hatches have been improved.
MPS-247	When creating a new import package, Meridian Portal import profiles are now hidden.
MPS-387	The Teigha DWG rendering module has two new options Use line weights and Scale line weights that can be enabled to improve the fidelity of drawing renditions when a plot style table file is specified.
MPS-453 MPS-14327	The XOD Resolution document property described in <i>Edit the rendition properties</i> in the <i>Meridian Enterprise User's Guide</i> is now applied to rendition generation as well as to viewing.
MPS-458	The Autodesk Inventor rendering module has a new option name Transparent background that when enabled, renders image backgrounds as transparent, which reduces rendition file size as described in <i>Configure the Autodesk Inventor rendering module options</i> in the <i>Meridian Enterprise Server Administrator's Guide</i> .
MPS-14076	The Teigha DGN and Teigha DWG rendering modules now include Open Design Alliance Teigha 2019.
MPS-14286	An issue has been fixed that could cause synchronization jobs to fail after deleting one folder and then renaming another folder to the name of the deleted folder.
MPS-14326	The Office rendering module is no longer blocked by an authentication dialog box when generating renditions from a vault that has the Authenticate logon credentials with the operating system option enabled.
MPS-14727 MPS-14499 MPS-14254	An issue has been fixed that could prevent renditions from being exported to the file system.
MPS-14813	The Office rendering module now supports Office 2019.
MPS-14814	The SolidWorks rendering module now supports SolidWorks 2019 SP0.
MPS-15125	An issue has been fixed that could cause thumbnails to be unnecessarily regenerated for documents with renditions.
MPS-15368	An issue has been fixed in the Teigha rendering module that could cause arrowheads to not appear in renditions.

Reference	Description
MPS-15440	An issue has been fixed that could cause export packages sent to Meridian Portal to fail if the package path is too long.
MPS-15816	An issue has been fixed that could cause annotations to not be saved for documents that are published unrendered (source file).
MPS-15838	The default value for the Timeout option of a publishing job has been increased from 60 seconds to 180 seconds.
MPS-15936	An issue has been fixed in Meridian Explorer synchronization jobs that could cause the error Violation of UNIQUE KEY constraint 'IX_UserName'. Cannot insert duplicate key in object 'dbo.User' .
MPS-15938	Packages may now be transferred with the FTPS protocol.
MPS-16024	The name of a document in SharePoint is now updated if the name is changed in Meridian prior to publishing a new revision.
MPS-16195	The AutoCAD and MicroStation rendering modules have been updated with ODA Platform 2019 Update 1.
MPS-16865	An issue has been fixed that could cause Meridian Explorer synchronization jobs to fail if a document has an invalid modification date.
MPS-18560	The AutoCAD rendering module now supports AutoCAD 2020 and its vertical industry editions except Raster Design.

MERIDIAN 2021 R3 ENTERPRISE RELEASE NOTES – JUNE 2022

Accruent, LLC

11500 Alterra Parkway

Suite 110

Austin, TX 78758

www.accruent.com